

U-RAC XL SUPPRESSOR SHIELD - MODTAC U-RAC XL SUPPRESSOR SHIELD SIZE 6.0" RAIL TYPE AR-15

[Shooting Accessories](#) > [Suppressor Accessories](#) > [Suppressor Covers](#)

Picatinny Rail mounted / QD Suppressor Shield for suppressors up to 1.900" (48 mm) U-RAC XL Suppressor Shield is designed to be compatible with the widest variety of US-made Gas guns Suppressor Shield - Advanced Suppressor Cover Prevent Burns. Eliminate Mirage. Mitigate Risk. U-RAC XL Suppressor Shield - Lightweight, Free-Floating, and Built for Performance The U-RAC XL Suppressor Shield delivers superior suppressor protection while maintaining minimal weight. Designed for compatibility, it integrates with standard AR-15 and AR-10 rails using a Picatinny rail grabber that also supports the Unity Tactical FUSION™ Backup Iron Sight. The U-RAC's free-floating, air-gapped design protects the user and enables the mission without increasing peak suppressor temperatures or inhibiting suppressor cool down. The quick-disconnect ensures a secure fit, even under full-auto fire. Crafted with a lightweight aluminum coupler and high-temp carbon fiber, the U-RAC XL is a precision tool built for peak performance in any environment. Key Features Protect Users - An average of 60% or greater heat reduction and advanced composite construction prevents burns and protects equipment. Built for Larger Suppressors - Maintains all the benefits of the U-RAC while accommodating larger diameter suppressors. Picatinny Rail Compatibility - Works with AR-15 and AR-10 platforms.



Attributes

- Name: [MODTAC U-RAC XL SUPPRESSOR SHIELD SIZE 6.0" RAIL TYPE AR-15](#)
- Manufacturer: [MODTAC](#)
- Product no.: 430114702
- Mfr. No.: 18B-017-AR15-60
- Colour: Carbon Fiber
- Material: Carbon Fiber
- Delivery weight: 0.354kg
- Shipping height: 241mm
- Shipping width: 93mm
- Shipping length: 93mm
- UPC: 860007981623

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [URAC XL Suppressor Shield Safety Instructions](#)
- [About Us](#)

URAC XL Suppressor Shield Safety Instructions

Introduction

Thank you for choosing the URAC XL Suppressor Shield. This product is designed to provide superior protection for suppressors while ensuring user safety and performance. Please read this safety instruction guide carefully to ensure safe and effective use of the URAC XL Suppressor Shield.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the URAC XL Suppressor Shield by following all instructions. This product is compliant with the EU General Product Safety Regulation (GPSR).
- **Enhanced Recalls:** Be aware that in the event of a safety issue, standardized recall notices will be issued, and remedies will be provided free of charge.
- **Online Shopping:** If purchased online, ensure the platform meets safety requirements just as physical stores do.
- **Special Consumer Focus:** Extra safeguards are in place for vulnerable groups. Ensure that children do not use this product without adult supervision.
- **EU Contact Point:** For safety inquiries, please refer to the designated EU-based contact point.
- **Rapid Alerts:** Stay informed about any updates regarding unsafe products via the Safety Gate system.

Specific Safety Precautions for Use

- **Heat Protection:** The URAC XL Suppressor Shield is designed to reduce heat by an average of 60% or more. Always handle the suppressor with care to avoid burns.
- **Compatibility:** Ensure that the URAC XL is compatible with your suppressor and rail system. It is designed for use with AR15 and AR10 platforms.
- **Secure Attachment:** Always ensure the suppressor shield is securely attached to prevent accidents during use.
- **Avoid Overheating:** Do not exceed the recommended usage duration to prevent overheating of the suppressor.
- **Check for Damage:** Regularly inspect the suppressor shield for any signs of wear or damage. Do not use if damaged.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Clean the Picatinny rail area where the suppressor shield will be mounted.
- Align the URAC XL Suppressor Shield with the Picatinny rail.
- Securely attach the suppressor shield using the quickdisconnect mechanism. Ensure it is firmly in place.
- Check that the attachment is secure before use.

2. Usage:

- Once installed, the URAC XL Suppressor Shield can be used during shooting sessions.
- Monitor the suppressor temperature regularly. If it becomes too hot to touch, allow it to cool before handling.
- After use, detach the suppressor shield and inspect it for any signs of damage.

Disposal Instructions

- Dispose of the URAC XL Suppressor Shield responsibly.
- Follow local regulations for disposal of carbon fiber and aluminum materials.
- If the product is damaged beyond repair, ensure it is disposed of in a manner that prevents environmental harm.

Contact Information for Further Support

For any inquiries or support regarding the URAC XL Suppressor Shield, please refer to the designated contact point provided by the manufacturer.

By following these safety instructions, you can ensure a safe and effective experience with your URAC XL Suppressor Shield. Thank you for prioritizing safety and performance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk