

UNITY™ TACTICAL AXON™ SWITCH WITH SUREFIRE®/CRANE LASER LEADS - GBRS GROUP UNITY TACT AXON SWITCH 7" SUREFIRE/10" CRANE LASER LEAD BLK

GBRS GROUP UNITY™ TACTICAL AXON™ SWITCH WITH SUREFIRE®/CRANE LASER LEADS The pinnacle of remote switch design for weapon-mounted accessories, UNITY™ Tactical's AXON™ provides complete control of lights and lasers in a single, compact and rugged housing. AXON™ is the direct result of operational feedback from professional end-users on their industry-leading switch technology. Lights and lasers can be fired from individual buttons with versions available for popular issued devices. Standard AXON™ models feature each button firing devices independently. SYNC models fire the laser independently (flat button), while the angled button will fire both light and laser simultaneously. NGAL variants operate in a SYNC capacity, but offer a visible override feature for light and laser. AXON™ mounts directly to M1913 Rail or M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit), while the Rail Clamps feature pass-throughs for zip ties. Its unique design provides tactile differentiation between the two buttons to eliminate confusion in dark, cold and high-stress situations. The light (angled) button features a switch that allows for both momentary and constant activation, while the laser (flat) button features a momentary-only button that supports the laser's double-click-for-constant-on feature. GBRS Group is the exclusive retailer of AXON™ 10" and 14" models with extended-length cables, which complements use with their Hydra mount. GBRS offers AXON™ Mode Select models with 7" SureFire® cables or 7" Link™ USB-C with either 10" Crane cables, 14" Crane cables, or 14" NGAL cables. SPECS Rail Mount: MIL-STD M1913, M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit) Dimensions: 1.3"W x 2.8"L x 1.1"H (3.3 x 7.1 x 2.8 cm) Weight: 1.7 oz (48.2g) Material: High-Impact Polymer Cable Length: 7" SureFire® Cable / 10" Crane Cable, 7" SureFire® Cable / 14" Crane Cable Recommended Torque: 5 In./Lbs (0.57 Nm) *NOTE: Over-torquing fasteners can damage your mount and/or your optic and will void your warranty. Using thread locking compounds, such as Loctite® or others, is not recommended and will void your warranty. COMPATIBILITY: SureFire® NATO Crane-Spec Port WARRANTY: One-Year Warranty through UNITY™ Tactical. For more info visit UNITY™ Tactical.



Attributes

- Name: GBRS GROUP UNITY TACT AXON SWITCH 7" SUREFIRE/10" CRANE LASER LEAD BLK
- Manufacturer: GBRS GROUP
- Product no.: 430114845
- Mfr. No.: GEAR-AXN-S7I10B
- Colour: Black
- Model Number: 7" Surefire Light / 10" Laser Lead
- Delivery weight: 0.142kg
- Shipping height: 76mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 810007881829

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for UNITY™ Tactical AXON™ Switch with SureFire®/Crane Laser Leads](#)

Safety Instruction Guide for UNITY™ Tactical AXON™ Switch with SureFire®/Crane Laser Leads

Introduction

Thank you for choosing the UNITY™ Tactical AXON™ Switch with SureFire®/Crane Laser Leads. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that all users are familiar with the product and its functions before use.
- Always follow the manufacturer's instructions for installation and operation.
- Regularly inspect the product for any signs of wear or damage.
- Keep the product out of reach of children and unauthorized users.
- Do not modify the product in any way, as this may compromise its safety and performance.
- If the product is damaged or malfunctions, discontinue use immediately and consult a professional.

Specific Safety Precautions for Use

- **Hazard Identification:**
 - The AXON™ Switch is designed for weaponmounted accessories. Improper use may result in accidental discharge or injury.
 - Ensure that the weapon is unloaded when installing or adjusting the AXON™ Switch.
- **Operational Precautions:**
 - Use the light and laser functions only when necessary and in appropriate environments.
 - Be aware of your surroundings and ensure that the light and laser are directed safely.
 - Do not point the laser at eyes or reflective surfaces to avoid potential harm.
- **Environmental Considerations:**
 - Avoid exposing the product to extreme temperatures, moisture, or corrosive substances.
 - Store the product in a cool, dry place when not in use.

Instructions for Installation and Usage

- **Installation:**
 1. Ensure the weapon is unloaded and safe.
 2. Select the appropriate mounting option (M1913 Rail or MLOK®).
 3. If using MLOK®, attach the optional UNITY™ MLOK® Mounting Kit.
 4. Secure the AXON™ Switch to the rail using the provided fasteners.
 5. Ensure that the switch is firmly attached and does not move.
- **Usage:**
 - The AXON™ Switch features multiple buttons for controlling lights and lasers:
 - The angled button activates the light and can be set for momentary or constant activation.
 - The flat button activates the laser and is designed for momentary use only.
 - To activate, press the respective button firmly.
 - For SYNC models, use the flat button for laser activation and the angled button for simultaneous light and laser activation.
- **Maintenance:**
 - Regularly check connections and cables for wear.
 - Clean the product with a soft, dry cloth. Avoid using harsh chemicals.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of electrical components in regular household waste.
- Consider recycling options where available.

Contact Information for Further Support

For any inquiries or support regarding the UNITY™ Tactical AXON™ Switch, please refer to the manufacturer's website or customer service resources.

By following these guidelines, you can ensure the safe and effective use of your UNITY™ Tactical AXON™ Switch. Thank you for your attention to safety.