

UNITY™ TACTICAL AXON™ SWITCH W/LINK™ USB-C/CRANE LASER LEADS - GBRS GROUP UNITY TACT AXON SWITCH 7" LINK USB-C/14" CRANE LASR LEAD FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

GBRS GROUP UNITY™ TACTICAL AXON™ SWITCH W/LINK™ USB-C /CRANE LASER LEADS The pinnacle of remote switch design for weapon-mounted accessories, UNITY™ Tactical's AXON™ provides complete control of lights and lasers in a single, compact and rugged housing. AXON™ is the direct result of operational feedback from professional end-users on their industry-leading switch technology. Lights and lasers can be fired from individual buttons with versions available for popular issued devices. Standard AXON™ models feature each button firing devices independently. SYNC models fire the laser independently (flat button), while the angled button will fire both light and laser simultaneously. NGAL variants operate in a SYNC capacity, but offer a visible override feature for light and laser. AXON™ mounts directly to M1913 Rail or M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit), while the Rail Clamps feature pass-throughs for zip ties. Its unique design provides tactile differentiation between the two buttons to eliminate confusion in dark, cold and high-stress situations. The light (angled) button features a switch that allows for both momentary and constant activation, while the laser (flat) button features a momentary-only button that supports the laser's double-click-for-constant-on feature. GBRS Group is the exclusive retailer of AXON™ 10" and 14" models with extended-length cables, which complements use with their Hydra mount. GBRS offers AXON™ Mode Select models with 7" SureFire® cables or 7" Link™ USB-C with either 10" Crane cables, 14" Crane cables, or 14" NGAL cables. SPECS Rail Mount: MIL-STD M1913, M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit) Dimensions: 1.3"W x 2.8"L x 1.1"H (3.3 x 7.1 x 2.8 cm) Weight: 1.7 oz (48.2g) Material: High-Impact Polymer Cable Length: 7" Link™ USB-C Cable / 10" Crane Cable, 7" Link™ USB-C Cable / 14" Crane Cable Recommended Torque: 5 In./Lbs (0.57 Nm) *NOTE: Over-torquing fasteners can damage your mount and/or your optic and will void your warranty. Using thread locking compounds, such as Loctite® or others, is not recommended and will void your warranty. COMPATIBILITY: Link™ USB-C System NATO Crane-Spec Port WARRANTY: One-Year Warranty through UNITY™ Tactical. For more info visit UNITY™ Tactical.



Attributes

- Name: [GBRS GROUP UNITY TACT AXON SWITCH 7" LINK USB-C/14" CRANE LASR LEAD FDE](#)
- Manufacturer: [GBRS GROUP](#)
- Product no.: 430114852
- Mfr. No.: GEAR-AXN-UC7I14F
- Colour: Flat Dark Earth
- Model Number: 7" Link USB-C / 14" Laser Lead
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 810007883434

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for UNITY Tactical AXON Switch with Link USBC/Crane Laser Leads](#)
- [About Us](#)

Safety Instruction Guide for UNITY Tactical AXON Switch with Link USBC/Crane Laser Leads

Introduction

Thank you for choosing the UNITY Tactical AXON Switch with Link USBC/Crane Laser Leads. This guide provides essential safety instructions to ensure safe and effective use of your product. Please read this guide carefully before installation and usage to avoid potential hazards and ensure compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- **Product Safety:** Ensure safe use of the AXON Switch by following all instructions provided in this guide.
- **Enhanced Recalls:** Stay informed about any product recalls by checking for updates on the EU's Safety Gate platform.
- **Online Shopping Protections:** If purchased online, ensure that the retailer meets safety requirements similar to physical stores.
- **Consumer Focus:** Extra caution is advised when using this product around vulnerable groups, especially children.
- **EU Contact Point:** For safety inquiries, refer to the product packaging or retailer for EU-based contact information.
- **Rapid Alerts:** Be aware of faster updates on unsafe products through the Safety Gate system.

Specific Safety Precautions for Use

- **Hazard Awareness:** Always be aware of the following potential hazards:
 - Improper installation may lead to equipment failure or malfunction.
 - Overtorquing fasteners can damage the mount and void warranty.
 - Using thread locking compounds may also void warranty and cause damage.
- **Operating Environment:** Use the AXON Switch in environments that are dry, clean, and free from extreme temperatures or moisture.
- **User Competency:** Ensure that all users are familiar with the operation of the AXON Switch and its components.
- **Supervision:** Always supervise the use of this product around children and ensure they do not have access to it without adult supervision.

Instructions for Installation and Usage

Installation

1. Mounting the AXON Switch:

- Ensure that the mounting surface is clean and free from debris.
- Choose between M1913 Rail or MLOK® for mounting.
- If using MLOK®, consider utilizing the optional UNITY™ MLOK® Mounting Kit.
- Secure the AXON Switch using the provided fasteners, ensuring not to overtorque (recommended torque: 5 In./Lbs or 0.57 Nm).

2. Connecting Cables:

- Connect the Link™ USBC cable to the AXON Switch and the corresponding device.
- Ensure that connections are secure and free from any obstructions.

Usage

1. Operating the AXON Switch:

- To activate the light, press the angled button; for the laser, press the flat button.
- The angled button allows for both momentary and constant activation.
- The flat button supports momentary activation only, with a doubleclick feature for constant mode.

2. Compatibility Checks:

- Ensure that your devices are compatible with the AXON Switch before use.
- Refer to the specifications provided for compatibility details.

Disposal Instructions

- **Product Disposal:** Dispose of the AXON Switch and its components in accordance with local regulations for electronic waste.
- **Environmental Responsibility:** Do not dispose of this product in regular household waste. Please take it to a designated electronic waste disposal facility.

Contact Information for Further Support

For any inquiries or assistance regarding the UNITY Tactical AXON Switch, please refer to the product packaging or contact your retailer for support.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with the UNITY Tactical AXON Switch. Thank you for your attention to safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk