

UNITY TACTICAL AXON™ SL SWITCH W/CRANE LASER LEAD - GBRS GROUP UNITY TACTICAL AXON SL SWITCH W/10" CRANE LASER LEAD BLACK

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

GBRS GROUP UNITY TACTICAL AXON™ SL SWITCH W/CRANE LASER LEAD

UNITY™ Tactical's AXON™ SL is the smaller, single button switch in the AXON™ family. It features a 45-degree angled button face for an ergonomically correct activation angle, making it easy to index under stress, while wearing PPE or facing extreme environmental conditions. Molded from high-impact polymer, AXON™ SL holds up to abuse in the field. The mechanical switch design allows weapon light models to fire in both momentary and constant-on modes in a familiar click tailcap design. Laser versions utilize a momentary only switch to facilitate use with the native double-click-for-constant-on feature found in most common lasers on the market. AXON™ SL mounts directly to M1913 Rail or M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit). GBRS Group is the exclusive retailer of AXON™ 10" and 14" models with extended-length cables, which complements use with their Hydra mount. GBRS offers AXON™ SL models with 10" Crane cables, 14" Crane cables, or 14" NGAL cables. SPECS Rail Mount: MIL-STD M1913, M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit) Dimensions: 1.3"W x 1.7"L x 1.1"H (3.3 x 4.3 x 2.8 cm) Weight: 1.5 oz (42.5g) Material: High-Impact Polymer Cable Length: 10" Crane Cable, 14" Crane Cable Recommended Torque: 5 In./Lbs (0.57 Nm) *NOTE: Over-torquing fasteners can damage your mount and/or your optic and will void your warranty. Using thread locking compounds, such as Loctite® or others, is not recommended and will void your warranty. WARRANTY: One-Year Warranty through UNITY™ Tactical. For more info visit UNITY™ Tactical.



Attributes

- Name: [GBRS GROUP UNITY TACTICAL AXON SL SWITCH W/10" CRANE LASER LEAD BLACK](#)
- Manufacturer: [GBRS GROUP](#)
- Product no.: 430114854
- Mfr. No.: GEAR-AXN-SL-I10B
- Colour: Black
- Model Number: 10" Crane Laser Lead
- Delivery weight: 0.043kg
- Shipping height: 76mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 810007881904

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instructions for UNITY TACTICAL AXON SL SWITCH W/CRANE LASER LEAD](#)
- [About Us](#)

Safety Instructions for UNITY TACTICAL AXON SL SWITCH W/CRANE LASER LEAD

Introduction

Thank you for choosing the UNITY TACTICAL AXON SL SWITCH W/CRANE LASER LEAD. This product is designed for safe and efficient use in various environments. Please read this safety instruction guide carefully to ensure proper handling, installation, and usage of the device.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the instructions provided.
- Always inspect the device for any visible damage before use. Do not use if damaged.
- Keep the product out of reach of children and unauthorized users.
- Use the product in a controlled environment to minimize risks associated with extreme conditions.
- Be aware of your surroundings when using the product to avoid accidents.
- In case of malfunction or if you suspect the product may be unsafe, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Do not exceed the recommended torque of 5 In./Lbs (0.57 Nm) during installation to prevent damage.
- Avoid using thread locking compounds, such as Loctite, as they may void your warranty and damage the product.
- Always ensure the switch is securely mounted to prevent it from coming loose during use.
- Use the product only with compatible weapon light models and lasers to ensure safety and functionality.
- Be cautious when operating the switch under stress or in adverse conditions; familiarize yourself with its operation beforehand.

Instructions for Installation and Usage

Installation

1. Mounting the Switch:

- Choose a suitable mounting location on your M1913 Rail or MLOK®.
- If using MLOK®, consider obtaining the optional UNITY MLOK® Mounting Kit for secure installation.
- Align the switch and fasten it securely, ensuring that it does not move or wobble.

2. Connecting the Cable:

- Ensure that the cable is free from twists and kinks.
- Connect the cable to the appropriate weapon light or laser as specified by the manufacturer.

Usage

- To activate the switch, press the button face at a 45degree angle for optimal ergonomics.
- For momentary activation, press and release the button.
- For constanton mode, press the button until you hear a click.
- Familiarize yourself with the operation of your specific weapon light or laser model to ensure proper use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic waste.
- Do not dispose of the product in regular household waste.
- Contact your local waste disposal authority for information on proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of the UNITY TACTICAL AXON SL SWITCH, please refer to the manufacturer's website or customer service for assistance.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your UNITY TACTICAL AXON SL SWITCH W/CRANE LASER LEAD. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk