

AXON™ SL SWITCH W/NGAL LASER LEAD - GBRS GROUP UNITY TACTICAL AXON SL SWITCH W/14" NGAL LSR/MODE SELECT BLK

UNITY TACTICAL AXON™ SL SWITCH W/NGAL LASER LEAD UNITY™ Tactical's AXON™ SL is the smaller, single button switch in the AXON™ family. It features a 45-degree angled button face for an ergonomically correct activation angle, making it easy to index under stress, while wearing PPE or facing extreme environmental conditions. Molded from high-impact polymer, AXON™ SL holds up to abuse in the field. The mechanical switch design allows weapon light models to fire in both momentary and constant-on modes in a familiar click tailcap design. Laser versions utilize a momentary only switch to facilitate use with the native double-click-for-constant-on feature found in most common lasers on the market. AXON™ SL mounts directly to M1913 Rail or M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit). GBRS Group is the exclusive retailer of AXON™ SL 10" and 14" models with extended-length cables, which complements use with their Hydra mount. GBRS offers AXON™ SL models with 10" Crane cables, 14" Crane cables, or 14" NGAL cables. SPECS Mount: MIL-STD M1913, M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit) Dimensions: 1.3"W x 1.7"L x 1.1"H (3.3 x 4.3 x 2.8 cm) Weight: 1.5 oz (42.5g) Material: High-Impact Polymer Cable Length: 14" NGAL Cable (Mode Select) Recommended Torque: 5 In./Lbs (0.57 Nm) Compatibility: NGAL (LA-23/PEQ) NOTE: Over-torquing fasteners can damage your mount and/or your optic and will void your warranty. Using thread locking compounds, such as Loctite® or others, is not recommended and will void your warranty. WARRANTY: One-Year Warranty through UNITY™ Tactical. For more info visit UNITY™ Tactical.)



Attributes

- Name: GBRS GROUP UNITY TACTICAL AXON SL SWITCH W/14" NGAL LSR/MODE SELECT BLK
- Manufacturer: GBRS GROUP
- Product no.: 430114856
- Mfr. No.: GEAR-AXN-SL-NM14B
- Colour: Black
- Delivery weight: 0.043kg
- Shipping height: 76mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 810007881928

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: AXON™ SL SWITCH Safety Instruction Guide](#)

AXON™ SL SWITCH Safety Instruction Guide

Introduction

Thank you for choosing the AXON™ SL SWITCH with NGAL Laser Lead. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this guide carefully before using the AXON™ SL SWITCH.

General Safety Guidelines

- Ensure safe use of the AXON™ SL SWITCH by following these guidelines:
 - Always handle the product with care to avoid damage.
 - Use the product only for its intended purpose.
 - Keep the product out of reach of children and vulnerable individuals.
 - Regularly check for wear and tear, and replace any damaged components immediately.
 - Be aware of your surroundings when using the product to avoid accidents.

Specific Safety Precautions for Use

- The following precautions should be taken when using the AXON™ SL SWITCH:
 - **Installation:** Ensure proper installation according to the instructions to avoid malfunction.
 - **Torque Settings:** Use the recommended torque of 5 In./Lbs (0.57 Nm) when securing the mount. Overtorquing can damage the mount and void the warranty.
 - **Environmental Conditions:** Do not use the product in extreme environmental conditions that exceed its operational limits.
 - **Mechanical Switch Operation:** Familiarize yourself with the mechanical switch operation to ensure effective use in both momentary and constanton modes.
 - **Compatibility:** Ensure that the AXON™ SL SWITCH is compatible with your weapon and accessories before use.

Instructions for Installation and Usage

1. Installation:

- Mount the AXON™ SL SWITCH directly to M1913 Rail or MLOK® using the optional UNITY™ MLOK® Mounting Kit.
- Ensure that the cable length is appropriate for your setup (14" NGAL Cable for Mode Select).
- Securely fasten the switch using the recommended torque settings.

2. Usage:

- For momentary activation, press the switch lightly.
- For constanton activation, use the familiar click tailcap design.
- Follow the native doubleclickforconstanton feature when using laser versions.

3. Maintenance:

- Regularly inspect the switch and cables for any signs of wear or damage.
- Clean the product with a soft, dry cloth to maintain its functionality.

Disposal Instructions

- When disposing of the AXON™ SL SWITCH, follow local regulations for electronic waste disposal.
- Remove batteries if applicable and dispose of them according to local guidelines.

- Do not throw the product in the regular trash.

Contact Information for Further Support

- For any questions or concerns regarding the AXON™ SL SWITCH, please refer to the official UNITY™ Tactical website or your retailer for assistance.

Conclusion

By following these safety instructions and guidelines, you can ensure the safe and effective use of the AXON™ SL SWITCH. Always prioritize safety and keep informed about any updates or recalls related to your product. Thank you for your attention to these important safety measures.