

EX PERFORMANCE ADJ PISTOL GRIP STOCK FOR MOSSBERG 500/590/88 - ADAPTIVE TACTICAL, LLC EX PERFORMANCE ADJ PISTOL GRIP STOCK 12G MOSS 500/590/88 BLK

[Shotgun Parts](#) > [Stock & Forend Parts](#) > [Buttstocks](#)

ADAPTIVE TACTICAL, LLC EX PERFORMANCE ADJUSTABLE PISTOL GRIP STOCK 12 GAUGE MOSSBERG 500/590/88 Optimized for pump shotguns, the advanced design features and high-impact, polymer construction of the EX Performance Stock make it an ideal choice when upgrading your Mossberg 500/590, Maverick 88 12g pump shotgun. The EX Performance Adjustable Stock with Pistol Grip features an easy-to-reach rapid adjust lever for custom length-of-pull and includes an integrated QD swivel attachment and molded in non-rust standard sling swivel attachment. Covered takedown pin makes installation and removal easier and eliminates discomfort. Durable polymer construction with non-slip vented rubber recoil pad, oversized extra strength adjustment pin, and sleek industrial design. NOTICE: Not recommended for use with Mossberg Shockwave or TAC-14. Creates a short-barreled configuration. SPECS Designed for owner installation Includes Mounting Hardware Easy to reach rapid adjust lever M4-style stock with adjustable length-of-pull Minimum Length: 11.5" with recoil pad 10.5" without recoil pad Maximum Length: 15" with recoil pad 14" without recoil pad QD swivel attachment Integrated sling attachment point Available Colors Black Orange - Optimized and readily identifiable for 'Less Lethal' Law Enforcement applications Made in the U.S.A.



Attributes

- Name: [ADAPTIVE TACTICAL, LLC EX PERFORMANCE ADJ PISTOL GRIP STOCK 12G MOSS 500/590/88 BLK](#)
- Manufacturer: [ADAPTIVE TACTICAL, LLC](#)
- Product no.: 430115254
- Mfr. No.: AT-02006-S
- Colour: Black
- Features: Adjustable
- Gauge: 12 Gauge
- Material: Polymer
- Delivery weight: 0.907kg
- Shipping height: 311mm
- Shipping width: 54mm
- Shipping length: 146mm
- UPC: 682146911930

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instructions for EX Performance Adjustable Pistol Grip Stock](#)
- [About Us](#)

Safety Instructions for EX Performance Adjustable Pistol Grip Stock

Introduction

Thank you for choosing the EX Performance Adjustable Pistol Grip Stock for your Mossberg 500/590/88 shotgun. This product is designed to enhance your shooting experience while ensuring safety and compliance with EU regulations. Please read this safety instruction guide carefully to ensure proper use and maintenance of the product.

General Safety Guidelines

- Always handle firearms and firearm accessories with care and respect.
- Ensure you are familiar with the operation of your shotgun before using this product.
- Keep the stock and your firearm out of reach of children and unauthorized users.
- Always store your shotgun and its accessories in a secure location.
- Regularly inspect the stock and shotgun for any signs of wear or damage before use.
- Report unsafe products and accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- This product is not recommended for use with Mossberg Shockwave or TAC14 models, as it creates a shortbarreled configuration.
- Ensure that the stock is properly installed before use. An improperly installed stock can lead to accidents.
- Do not exceed the maximum length of pull when adjusting the stock.
- Always use the stock in accordance with the manufacturer's instructions to avoid potential hazards.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use appropriate personal protective equipment, including eye and ear protection, when operating your shotgun.

Instructions for Installation and Usage

Installation

1. Gather Required Tools

- Ensure you have the necessary tools for installation, including a screwdriver.

2. Remove Existing Stock

- Follow the manufacturer's instructions to safely remove the existing stock from your Mossberg shotgun.

3. Install the EX Performance Stock

- Align the stock with the receiver of the shotgun.
- Insert the covered takedown pin to secure the stock in place.
- Ensure that the stock is firmly attached and does not wobble.

4. Adjust the Length of Pull

- Use the easytoreach rapid adjust lever to set the desired length of pull.
- Confirm that the adjustment pin is secure and the stock is properly locked in place.

Usage

- Always ensure the shotgun is unloaded before making any adjustments to the stock.
- When adjusting the stock, keep your fingers clear of any moving parts to avoid injury.
- Familiarize yourself with the integrated QD swivel attachment and molded sling attachment for safe carrying options.
- Practice using the stock at a shooting range to become comfortable with its operation.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the stock is damaged or no longer usable, do not attempt to repair it. Dispose of it responsibly to prevent accidents.
- Always follow local guidelines for the disposal of polymer materials.

Contact Information for Further Support

For any inquiries regarding the EX Performance Adjustable Pistol Grip Stock, please consult the manufacturer's website or customer support resources. Ensure you have the product information available for assistance.

By following these safety instructions, you can ensure a safer and more enjoyable experience with your EX Performance Adjustable Pistol Grip Stock. Always prioritize safety and compliance with regulations while using firearm accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk