

ASCEND AMBI SAFETY SELECTOR FOR AR-15/AR-308 - NEXT LEVEL ARMAMENT ASCEND AMBIDEXTROUS SAFETY SELECTOR FOR AR-15/AR-308

[Rifle Parts](#) > [Safety Parts](#) > [Safeties](#)

NEXT LEVEL ARMAMENT ASCEND AMBI SAFETY SELECTOR FOR AR-15/AR-308
Upgrade your rifle, or enhance your latest build with the Ascend Ambi Safety Selector. The titanium drum is dual throw, so you can choose your preference from 50 or 90 degree throw. The selector levers are interchangeable from side to side, so you can choose where the long and short lever are installed. We finish the 7075 Aluminum levers with a Hard Coat Anodize for a smooth, durable finish. Each lever seats tightly into the drum for stability and dependability. A high-quality aftermarket safety selector like the Ascend Armory 50/90-Degree Ambi Safety Selector can improve the aesthetics of your rifle while adding essential functionality. FEATURES: Designed with wide levers for ease of use Drop in Ambidextrous replacement Interchangeable and can be configured for right or left-handed shooters Compatible with AR-15 and AR-10 lowers Can change from 50-degree short throw to 90-degree standard throw operation Designed and manufactured in U.S.A. SPECIFICATIONS: Material: Lever: 7075 Series Aluminum Center Core: 6AL-4V Titanium Detent: Stainless Steel Selector Lever Finish: Hard Coat Anodized Weight: 0.35 oz. INCLUDES: 1x 50/90-Degree Dual Throw Titanium Center Core 1x Standard Size Lever 1x Short Lever 1x SS Safety Selector Detent 1x Safety Selector Spring 2x Screws



Attributes

- Name: [NEXT LEVEL ARMAMENT ASCEND AMBIDEXTROUS SAFETY SELECTOR FOR AR-15/AR-308](#)
- Manufacturer: [NEXT LEVEL ARMAMENT](#)
- Product no.: 430115482
- Mfr. No.: ASC- AMBI SAFETY
- Weapon type: AR .308,AR-15
- Delivery weight: 0.054kg
- Shipping height: 32mm
- Shipping width: 57mm
- Shipping length: 152mm
- UPC: 793585909300

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [ASCEND AMBI SAFETY SELECTOR FOR AR15/AR308](#)
- [About Us](#)

ASCEND AMBI SAFETY SELECTOR FOR AR15/AR308

Safety Instruction Guide

Introduction

Thank you for choosing the ASCEND AMBI SAFETY SELECTOR for your AR15/AR308. This product is designed to enhance the functionality and safety of your rifle. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that your firearm is unloaded before installation or maintenance of the safety selector.
- Always follow the manufacturer's instructions for safe handling and operation of your firearm.
- Store the safety selector in a safe and secure location, away from children and unauthorized users.
- Regularly inspect the safety selector for any signs of wear or damage before use.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always check that the safety selector is functioning correctly before use.
- Ensure that you are familiar with the operation of both the 50degree and 90degree throw settings.
- Use caution when switching the selector levers; ensure your fingers are clear of the mechanism.
- If you experience any resistance or difficulty when operating the safety selector, cease use and consult a qualified gunsmith.
- This product is intended for use by individuals aged 18 and older. Ensure that younger users are supervised by an adult when handling firearms.

Instructions for Installation and Usage

1. Preparation:

- Ensure the rifle is completely unloaded.
- Gather necessary tools: a screwdriver and any other required tools as per your rifle's specifications.

2. Installation:

- Remove the existing safety selector from your rifle by following the firearm's manual.
- Insert the ASCEND AMBI SAFETY SELECTOR into the designated slot on the lower receiver.
- Ensure that the titanium drum is correctly positioned for either the 50degree or 90degree throw.
- Attach the selector levers. You can configure the long and short levers according to your preference.
- Secure the levers using the provided screws, ensuring they are tightened but not overtorqued.

3. Usage:

- Familiarize yourself with the functionality of both the 50degree and 90degree throw settings.
- Practice operating the safety selector in a safe environment before using it in the field.
- Always ensure the safety selector is in the "safe" position when not in use.

Disposal Instructions

- Dispose of the ASCEND AMBI SAFETY SELECTOR in accordance with local regulations.

- Do not dispose of the product in regular household waste. Check for recycling programs or hazardous waste disposal facilities in your area.

Contact Information for Further Support

For any inquiries regarding the ASCEND AMBI SAFETY SELECTOR, please consult the manufacturer's website or contact their customer support for assistance.

By following these safety guidelines and instructions, you can ensure the safe and effective use of your ASCEND AMBI SAFETY SELECTOR. Thank you for prioritizing safety and responsibility in your firearm practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk