

# TITANIUM NITRIDE NECK BUSHINGS - REDDING TITANIUM NITRIDE BUSHING/.262

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings as above, but with the addition of a Titanium Nitride coating to further increase the effective surface hardness and reduce sizing friction. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD76XXX) denotes bushing size. .185 to .252 .253 to .305 .306 to .368

## Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.



## Attributes

- Name: [REDDING TITANIUM NITRIDE BUSHING/.262](#)
- Manufacturer: [REDDING](#)
- Product no.: 749003477
- Mfr. No.: 76262
- Diameter (in): .262
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760762628

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS](#)
- [About Us](#)

# Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS

## Introduction

Thank you for choosing the TITANIUM NITRIDE NECK BUSHINGS from REDDING. This guide provides essential safety information to ensure safe and effective use of the product. Please read this guide carefully before using the bushings to understand the safety precautions and operational instructions.

## General Safety Guidelines

- Ensure the bushings are used only for their intended purpose.
- Regularly inspect the bushings for any signs of wear or damage before each use.
- Always follow the manufacturer's instructions for installation and usage.
- Keep the bushings out of reach of children and vulnerable individuals to prevent accidental injury.
- If you notice any unusual behavior or performance issues during use, discontinue use immediately and consult a professional.

## Specific Safety Precautions for Use

- **Potential Hazards:**

- Risk of injury if used improperly.
- Risk of damage to the firearm or reloading equipment if the bushings are not sized correctly.

- **Avoiding Hazards:**

- Always ensure proper alignment and fit when installing the bushings.
- Do not exceed the specified diameter range when selecting bushings.
- Use personal protective equipment (PPE) such as safety glasses when performing any reloading operations.

- **Age Specific Warnings:**

- This product is intended for use by adults only. Keep out of reach of children.

## Instructions for Installation and Usage

- **Installation:**

1. Ensure that the reloading equipment is clean and free of debris.
2. Select the appropriate bushing size according to your needs, based on the last three digits of the part number (#RD76XXX).
3. Carefully insert the bushing into the designated area of your reloading equipment, ensuring a snug fit.
4. Secure the bushing according to your equipment's manufacturer's instructions.

- **Usage:**

- Follow standard reloading procedures as outlined in your reloading manual.
- Monitor the sizing process closely to ensure consistent performance.
- If you encounter resistance during sizing, stop and check for any obstructions or misalignment.

## **Disposal Instructions**

- Dispose of any damaged or worn bushings in accordance with local waste disposal regulations.
- Do not dispose of the bushings in regular household waste if they are contaminated with hazardous materials.

## **Contact Information for Further Support**

For any safety inquiries or concerns related to the TITANIUM NITRIDE NECK BUSHINGS, please consult the manufacturer's website or customer support for assistance.

This safety instruction guide is designed to comply with the EU General Product Safety Regulation (GPSR). By following these guidelines, you help ensure your safety and the safety of others while using the TITANIUM NITRIDE NECK BUSHINGS. Thank you for your attention to these important safety measures.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)