

FITTED BARRELS FOR SMALL RING MAUSER 93-96 - SHILEN .250 SAV. #2 CONTOUR, 10 TWIST

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrels](#)

Short-Chambered & Threaded To Fit Most Small Ring Actions

A "no lathe" way to turn a surplus Small Ring 93-96 into a sporter. Already threaded with the chamber left slightly short. After installation, use a hand-turned finish reamer to deepen until headspace is perfect. (Reamer and Headspace Gauges required.) Made to our specifications by Shilen. NOTE: These actions are not as strong as the Mauser 98. The barrels listed are chambered for low pressure cartridges. Guns using them should be fired only with standard, factory-equivalent rounds. Handloads MUST NOT exceed SAAMI specs.



Attributes

- Name: [SHILEN .250 SAV. #2 CONTOUR, 10 TWIST](#)
- Manufacturer: [SHILEN](#)
- Product no.: 801225102
- Mfr. No.: 250102CM
- Barrel Weight: 2.84 lbs
- Cartridge: 250 Savage
- Contour: Factory
- Finish: Chrome Moly
- Length: 25"
- Model: 93,94,95,96
- Twist: 1-10
- Weapon type: Mauser
- Delivery weight: 1.225kg
- Shipping height: 25mm
- Shipping width: 30mm
- Shipping length: 660mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for Fitted Barrels for Small Ring Mauser 9396 Shilen .250 Sav. #2 Contour, 10 Twist
- About Us

Safety Instruction Guide for Fitted Barrels for Small Ring Mauser 9396 Shilen .250 Sav. #2 Contour, 10 Twist

Introduction

Thank you for choosing the Fitted Barrels for Small Ring Mauser 9396 Shilen .250 Sav. #2 Contour, 10 Twist. This product is designed to enhance your firearm experience while ensuring safety and compliance with relevant regulations. Please read this guide carefully to understand the safety precautions and installation instructions associated with this product.

General Safety Guidelines

- Always treat firearms and their components as if they are loaded.
- Ensure that you are familiar with the operation and handling of your firearm.
- Use only factory-equivalent rounds and avoid exceeding SAAMI specifications for handloads.
- Regularly inspect your firearm and barrel for any signs of wear or damage.
- Store firearms and ammunition securely and out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Chambering:** The barrels are chambered for low-pressure cartridges. Ensure you use appropriate ammunition to prevent malfunctions or accidents.
- **Headspace:** After installation, use a handturned finish reamer to deepen the chamber until headspace is perfect. Failure to do so may result in serious injury or damage.
- **Installation:** Follow the installation instructions carefully. Improper installation can lead to firearm malfunction.
- **Strength Consideration:** Note that these actions are not as strong as the Mauser 98. Use caution when firing.
- **Vulnerable Groups:** Ensure that children and inexperienced users are supervised when handling firearms.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools including a handturned finish reamer and headspace gauges.
- Ensure you are in a safe and controlled environment for installation.

2. Installation Steps:

- Remove the existing barrel from the Small Ring Mauser 9396 action.
- Thread the new barrel onto the action, ensuring it is aligned correctly.
- Use the handturned finish reamer to deepen the chamber until the headspace is perfect.
- Regularly check headspace with gauges throughout the process.
- Once satisfied with the headspace, secure all components tightly.

3. Post-Installation:

- Inspect the installation to ensure there are no loose parts.
- Clean the barrel and action to remove any debris.

- Conduct a function check before live firing.

4. Firing:

- Fire only with standard, factory-equivalent rounds.
- Monitor for any unusual sounds or behaviors during firing.

Disposal Instructions

- Dispose of any unused or damaged components in accordance with local regulations.
- Ensure that all firearm parts are rendered inoperable before disposal.
- Seek guidance from local authorities if unsure about the disposal process.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of this product, please refer to the manufacturer's contact information provided with your purchase. It is important to have access to support for any safety inquiries.

By following these guidelines, you can ensure a safe and enjoyable experience with your Fitted Barrels for Small Ring Mauser 9396 Shilen .250 Sav. #2 Contour, 10 Twist. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk