

SUPER HIGH 1.9" 34MM MSR MOUNT - 34MM SUPER HIGH (1.90") 0 MOA MOUNT, BLACK

Warne Scope Mounts is excited to introduce their second generation SKEL mount, the X-SKEL. This new MSR mount offers an additional 1" of forward cantilever, and 1 piece clamp design for added strength. The rugged, lightweight design of the X-SKEL maintains our famous Return to Zero capability, and utilizes ½" hex nuts for rock solid attachment. It features a skeletonized ring body and caps for reduced weight and steel threaded cap inserts for maximum durability. The X-SKEL places your optic 1.9" Super High height with a generous cantilever for proper eye relief, it will easily accommodate the longer eyepieces found on many of today's scopes. Lightweight, skeletonized aluminum body and caps to reduce overall weight without sacrificing reliability. #8 Torx style fasteners with steel threaded inserts to prevent stripping. Additional 1 Inch cantilever forward design to provide additional eye relief. Places your optic 1.9" Super High height for MSR and similar platforms. 1/2" tactical nut attachment, 65 in/lb. of torque is recommended.



Attributes

- Name: 34MM SUPER HIGH (1.90") 0 MOA MOUNT, BLACK
- Manufacturer: WARNE MFG. COMPANY
- Product no.: 947000746
- Mfr. No.: SHXSKEL34TW
- Color: Black
- Elevation: 0 MOA
- Style: Picatinny
- Delivery weight: 0.313kg
- Shipping height: 76mm
- Shipping width: 76mm
- Shipping length: 178mm
- UPC: 656813106905

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: SUPER HIGH 1.9" 34MM MSR MOUNT Safety Instruction Guide](#)
- [Český: Návod k bezpečnému použití montáže Warne XSKEL](#)

SUPER HIGH 1.9" 34MM MSR MOUNT Safety Instruction Guide

Introduction

Thank you for choosing the SUPER HIGH 1.9" 34MM MSR MOUNT. This guide provides essential safety instructions and guidelines to ensure the safe use of your new product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the mount is compatible with your firearm and optic before use.
- Always follow local laws and regulations regarding firearm accessories.
- Keep the mount and its components out of reach of children and vulnerable individuals.
- Inspect the mount regularly for any signs of wear or damage.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not exceed the recommended torque of 65 in/lb when attaching the mount.
- Ensure that the mount is securely fastened before use to prevent accidents.
- Avoid using the mount in extreme weather conditions that may affect its performance.
- Do not modify the mount in any way, as this may compromise its safety and functionality.
- Always use the mount as intended; do not use it for purposes other than those specified.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a ½" hex wrench and #8 Torx screwdriver.
- Ensure you are working in a clean, dry area free from distractions.

2. Installation Steps

- Position the mount on the Picatinny rail of your firearm.
- Align the mount to ensure that it is level and properly positioned.
- Use the ½" tactical nut to secure the mount in place, applying a torque of 65 in/lb.
- Doublecheck that all fasteners are tightened and secure.

3. Usage Guidelines

- Once installed, place your optic in the mount.
- Adjust the optic for proper eye relief, ensuring that it is comfortable and secure.
- Test the setup at a safe range to ensure proper alignment and functionality.

Disposal Instructions

- Dispose of the mount and any packaging materials in accordance with local waste management regulations.
- Do not dispose of the mount in fire, as it may contain materials that can be hazardous when burned.

Contact Information for Further Support

For questions or concerns regarding the SUPER HIGH 1.9" 34MM MSR MOUNT, please refer to the manufacturer's website or customer service resources.

Thank you for your attention to these safety instructions. Enjoy the enhanced performance and reliability of your new mount!

Návod k bezpečnému použití montáže Warne XSKEL

Úvod

Děkujeme, že jste si zakoupili montáž Warne XSKEL. Tento produkt byl navržen tak, aby poskytoval bezpečné a spolehlivé upevnění pro vaše optické přístroje. Před použitím si prosím pečlivě přečtete tento návod, abyste zajistili bezpečné používání a dlouhou životnost produktu.

Obecné bezpečnostní pokyny

- Ujistěte se, že produkt je používán pouze k zamýšlenému účelu.
- Před instalací a používáním výrobku si důkladně přečtete tento návod.
- Zkontrolujte, zda nejsou na produktu žádné viditelné poškození nebo nedostatky.
- Uchovávejte výrobek mimo dosah dětí a zranitelných osob.
- V případě poškození nebo podezření na nebezpečí kontaktujte prodejce nebo výrobce.

Specifické bezpečnostní opatření pro použití

- Při instalaci montáže dbejte na správné utažení šroubů, aby nedošlo k uvolnění během používání.
- Používejte pouze doporučené šrouby a matice, aby se zajistila bezpečnost a stabilita.
- Nedotýkejte se optických prvků, pokud jsou namontovány na zbraní, aby nedošlo k jejich poškození.
- Ujistěte se, že montáž je správně umístěna a zabezpečena před každým použitím.
- Při manipulaci s montáží noste ochranné brýle, abyste se vyhnuli zranění.

Pokyny pro instalaci a používání

1. **Příprava:** Zkontrolujte, zda máte všechny potřebné nástroje, včetně #8 Torx šroubováku a 1/2" matice.
2. **Instalace:**
 - Umístěte montáž na Picatinny lištu vaší zbraně.
 - Ujistěte se, že je montáž správně zarovnána a není nakloněná.
 - Pomocí Torx šroubů připevněte montáž k liště.
 - Ujistěte se, že šrouby jsou utaženy na doporučený točivý moment 65 in/lb.
3. **Kontrola:** Po instalaci zkontrolujte, zda je montáž pevně připevněna a zda se nehýbe.
4. **Použití:** Umístěte optický přístroj do montáže a ujistěte se, že je správně upevněn.

Pokyny pro likvidaci

- Tento produkt by měl být likvidován v souladu s místními předpisy o odpadech.
- Nepokládejte výrobek do běžného odpadu. Zjistěte, zda existují speciální sběrné místa pro elektroniku a kovové součásti.
- Pokud si nejste jisti, jak správně likvidovat tento produkt, kontaktujte místní úřady pro odpadové hospodářství.

Kontaktní informace pro další podporu

Pro veškeré dotazy ohledně bezpečnosti produktu, jeho instalace nebo údržby se obraťte na autorizovaného prodejce nebo výrobce. V případě nebezpečných situací nebo produktů se obraťte na příslušné úřady a informujte je o svých obavách.

Děkujeme, že jste si vybrali montáž Warne XSKEL. Dodržováním těchto pokynů zajistíte bezpečné a efektivní používání vašeho optického přístroje.