

ESS Fore-end - MDT Chassis - ESS Forend - No Rail - 18" (457mm) - FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - No Rail - 18" \(457mm\) - FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004230
- Mfr. No.: 102791-FDE
- Colour: FDE
- Material: Aluminum
- Delivery weight: 0.53kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 709951101520

Table of Contents

- [Startpage](#)
- [MDT ESS Foreend Safety Instruction Guide](#)
- [About Us](#)

MDT ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend MDT Chassis ESS Foreend No Rail 18" (457mm) FDE. This guide provides important safety information and instructions to ensure a safe and effective use of the product. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Store the product in a dry and safe location, away from children and pets.
- Regularly inspect the product for any signs of wear or damage before use.
- Always follow local laws and regulations regarding the use of firearm accessories.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only compatible components with the MDT ESS Foreend to avoid malfunctions.
- Do not modify the product in any way that could compromise its safety or functionality.
- Always ensure the firearm is unloaded before attaching or detaching the foreend.
- Wear appropriate safety gear, including eye protection, when handling firearms.
- Keep fingers away from the trigger until ready to shoot.

Instructions for Installation and Usage

1. Installation Steps:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing foreend from the firearm, if applicable.
- Align the MDT ESS Foreend with the mounting points on the firearm.
- Securely attach the foreend using the provided mounting hardware.
- Tighten all screws to the manufacturer's specifications to ensure stability.

2. Usage Instructions:

- Familiarize yourself with the foreend's features before use.
- Practice safe handling and shooting techniques at all times.
- Regularly check the tightness of the foreend during use to ensure it remains securely attached.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the MDT ESS Foreend, please refer to the manufacturer's website or customer service for assistance.

By following these guidelines, you can help ensure your safety and the safety of others while using the MDT ESS Foreend MDT Chassis. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk