

Exo Mag - 15 Rounds (Ejectorless Version)

[Magazines](#) > [Rifle Magazines](#)

The MEAN ExoMag is designed to be the most reliable and best feeding 9mm magazine for use with a standard AR lower. The ExoMag has a STANAG magazine outer shape. Add the 9mm upper of your choosing to function with a Glock or Colt variant 9mm BCG. We offer both a version with an EJECTOR (for standard blowback bolts) and an EJECTORLESS version (for our Bearing Delay and CMMG Radial Delay systems). All ExoMag models include the last round bolt-hold open feature, as any AR-15 should.



International Sales: YES. MEAN sells direct to US customers only. For International customers, please check with Brownells to see if they carry our products in your country. For over 75 years, Brownells has been providing quality Gunsmithing tools, gun parts, and service to the firearms industry.

Bearing Delay Upper owners: Customers with the Bearing Delay system should select the "Ejectorless" option in the "ExoMag Package Selection" option above.

CMMG Radial Delay owners: If you have a CMMG Radial Delay firearm, select the "Ejectorless" option in the "ExoMag Package Selection" option above.

ExoMag features:

Facilitates quick and easy caliber change from .223/5.56 to 9mm

Functions as a magazine!

No magwell adapter needed!

Keep your standard 5.56 Multi Caliber lower receiver!

Comes fully assembled.

No tools required.

Build and maintain your muscle-memory for reloads and other training from your 5.56 firearms! Same STANAG magazine, same draw, same feel.

No learning curve when reloading because it is the same magazine you already use!

Use most of your STANAG mag accessories: i.e. mag pouches, storage racks, decals, caliber indicators, etc.

Not a picky eater. Shoots all 9mm ammo - hollow points included.

It is exclusively the customer's responsibility to be aware of all applicable laws and regulations regarding the purchase and ownership of magazines and the capacities thereof. Customers residing in states with intrusive laws who purchase standard capacity magazines may have their order canceled without warning.

Key Functions

No modifications to your 5.56x45 lower receiver! Changing calibers is now simply a complete 9mm upper for your AR platform. No nuts, no bolts, no drilling, no bull.

Last round bolt-hold open feature, just as an AR-15 should function.

Built-in ejector designed to perform under intense conditions.

Specially formulated polymer.

Magazine is 5.60" tall.

Attributes

- Name: [Exo Mag - 15 Rounds \(Ejectorless Version\)](#)
- Manufacturer: [MEAN ARMS](#)
- Product no.: EU2014206
- Mfr. No.: 2104269

Table of Contents

- Startpage
- Exo Mag 15 Rounds (Ejectorless Version) Safety Instruction Guide
- About Us

Exo Mag 15 Rounds (Ejectorless Version) Safety Instruction Guide

Introduction

Thank you for choosing the MEAN Exo Mag 15 Rounds (Ejectorless Version). This guide provides essential safety instructions to ensure the safe use of your magazine. Please read this document carefully before using the product to understand its features, safety precautions, and proper handling.

General Safety Guidelines

- Always handle the magazine with care and ensure it is unloaded when not in use.
- Be aware of your local laws and regulations regarding magazine capacities and ownership.
- Store the magazine in a secure location, away from children and unauthorized users.
- Regularly inspect the magazine for any signs of damage or wear before use.
- Only use the Exo Mag with compatible 9mm upper receivers and BCGs (Bolt Carrier Groups).
- Report any unsafe product experiences or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the magazine is compatible with your firearm before use.
- Do not modify the magazine in any way, as this may compromise safety and performance.
- When loading the magazine, do so in a safe environment, away from others.
- Always keep the firearm pointed in a safe direction when inserting or removing the magazine.
- If you experience any malfunctions while using the magazine, cease use immediately and consult a qualified gunsmith.
- Avoid using reloaded or handloaded ammunition unless you are fully aware of the specifications and safety standards.

Instructions for Installation and Usage

1. Installation:

- Ensure your AR lower receiver is clear and safe.
- Select the appropriate 9mm upper receiver compatible with the Exo Mag.
- Insert the Exo Mag into the magazine well of your AR lower receiver until it clicks into place.

2. Loading the Magazine:

- Hold the magazine with the feed lips facing upwards.
- Insert 9mm ammunition into the magazine, ensuring that each round is seated correctly.
- Avoid overloading the magazine beyond its capacity of 15 rounds.

3. Using the Magazine:

- Insert the magazine into the firearm's magazine well.
- Ensure that the magazine is securely locked in place.
- To engage the last round bolthold open feature, ensure that your firearm's BCG is compatible with this function.

4. Unloading the Magazine:

- Point the firearm in a safe direction.

- Remove the magazine from the magazine well by pressing the magazine release button.
- Ensure the magazine is empty before storing it.

Disposal Instructions

- Dispose of the Exo Mag in accordance with local regulations for plastic waste.
- If the magazine is damaged or no longer functional, do not attempt to repair it. Dispose of it responsibly.
- Do not discard the magazine in regular household waste. Check for local recycling programs that accept firearm accessories.

Contact Information for Further Support

For any questions or concerns regarding the Exo Mag, please reach out to your local retailer or the manufacturer for assistance. It is essential to have a point of contact for any safety inquiries or product issues.

Thank you for prioritizing safety and compliance with the guidelines provided. Your responsible use of the Exo Mag contributes to a safer shooting experience.

About Us

Brownells Norge

Brownells Norge - Komplett utvalg av ladeutstyr, våpendeler, kuler, hylser, kikkerter, optikk og luftvåpen

Heiveien 882
4985 Vegårshei

www.brownells.no