

ACC Premier Gen 2 - MDT Chassis - ACC Premier Gen 2 - Howa 1500 - SA - RH - BLK

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The MDT ACC Premier GEN2 Chassis makes it easy. It features a compact 15" forend—ideal for barrels starting at 17"—with a wide, thick, flat profile designed to eliminate flex and torsion. Whether you're shooting off barricades or PRS props, you get a rock-solid, no-shift platform.

The full-length integrated ARCA rail offers instant compatibility with bipods and tripods, helping you lock in that perfect shooting position.

Inside, precision V-Block bedding secures your action in place. This machined V-shaped block ensures consistent contact between action and chassis, drastically reducing movement under recoil and enhancing repeatable accuracy.

Installation? Dead simple. Just drop in your action and tighten two screws—no gunsmith required. Pair it with MDT's weight kits and tune your rifle's balance to perfection.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ACC Premier Gen 2 - Howa 1500 - SA - RH - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2015001
- Mfr. No.: 110120-BLK
- Colour: Black
- Material: -
- Model: 1500
- Style: Chassis
- Weapon type: Howa
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- UPC: 799475204647

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for ACC Premier Gen 2 MDT Chassis](#)
- [About Us](#)

Safety Instruction Guide for ACC Premier Gen 2 MDT Chassis

Introduction

Thank you for choosing the ACC Premier Gen 2 MDT Chassis for your Howa 1500. This guide provides essential safety instructions to ensure safe and effective use of your product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and usage.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the chassis for any signs of damage or wear.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only compatible firearms with the ACC Premier Gen 2 MDT Chassis.
- Ensure the firearm is unloaded during installation and maintenance.
- Avoid using the chassis in extreme weather conditions that may affect performance.
- Be cautious of sharp edges and components during handling.
- Do not exceed the recommended weight limits when adding accessories.

Instructions for Installation and Usage

1. Installation of the Chassis

- Ensure you have all necessary tools: a screwdriver and any required screws.
- Place the chassis on a stable surface.
- Drop your action into the chassis, ensuring a snug fit.
- Tighten the two screws securely to fasten the action in place.
- Ensure that the chassis is properly aligned and there is no movement.

2. Usage of the Chassis

- Attach your desired bipod or tripod to the integrated ARCA rail.
- Adjust the bipod or tripod to find your optimal shooting position.
- Always check that the chassis is secure before taking any shots.
- Practice safe shooting techniques and follow all relevant firearm safety rules.

Disposal Instructions

- Dispose of the chassis in accordance with local regulations.
- Do not dispose of the chassis in regular household waste.
- Check with local authorities for recycling options or hazardous waste disposal guidelines.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please consult your retailer or manufacturer's website for support resources and contact information.

Thank you for prioritizing safety while using the ACC Premier Gen 2 MDT Chassis. Your adherence to these guidelines will help ensure a safe and enjoyable shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk