

Reloading Die Spare Parts - Nut M6

Lock nut, steel, blued and precision-made – for secure spindle fixation in reloading dies. Suitable for original dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Nut M6
- Manufacturer: TRIEBEL
- Product no.: EU2017177
- Mfr. No.: 3000031V
- Thread: M6
- Delivery weight: 0.01kg
- Shipping height: 15mm
- Shipping width: 15mm
- Shipping length: 15mm
- EAN/UPC: 3000031V

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Reloading Die Spare Parts Nut M6](#)

Safety Instruction Guide for Reloading Die Spare Parts Nut M6

Introduction

Thank you for choosing the Reloading Die Spare Parts Nut M6. This guide provides essential safety instructions to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified in this manual.
- Always follow the manufacturer's instructions for installation and usage.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before each use.
- In case of any malfunction or if you suspect the product is unsafe, discontinue use immediately and report it to the relevant authorities.

Specific Safety Precautions for Use

- Use the lock nut only with compatible reloading dies from Triebel Waffenwerkzeuge.
- Ensure that the lock nut is securely fastened to prevent accidental dislodging during use.
- Avoid using excessive force when tightening the lock nut to prevent damage to the spindle or the nut itself.
- Always wear appropriate safety gear, including eye protection, when using reloading equipment.
- Be aware of your surroundings and ensure a safe working environment free from distractions.

Instructions for Installation and Usage

1. Installation:

- Ensure that the reloading die is clean and free from debris.
- Align the lock nut with the spindle of the reloading die.
- Handtighten the lock nut onto the spindle until it is snug.
- Use a wrench to secure the lock nut further, but do not overtighten.

2. Usage:

- Once installed, check the stability of the reloading die and ensure it is securely fixed.
- Conduct a functionality test before starting any reloading operation.
- Monitor the lock nut during operation to ensure it remains secure.
- If you notice any movement or looseness, stop the operation and recheck the installation.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any safety inquiries or to report unsafe products, please refer to the appropriate EU contact point or the

Safety Gate platform for updates on recalls and safety alerts.

Thank you for ensuring safe practices while using the Reloading Die Spare Parts Nut M6. Your adherence to these guidelines helps maintain a safe environment for all users.