

Reloading Die Spare Parts - Nut M8x1

Lock nut, steel, blued and precision-made – for secure spindle fixation in reloading dies. Suitable for original dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Nut M8x1
- Manufacturer: TRIEBEL
- Product no.: EU2017178
- Mfr. No.: 3000032V
- Thread: M8x1
- Delivery weight: 0.01kg
- Shipping height: 15mm
- Shipping width: 15mm
- Shipping length: 15mm
- EAN/UPC: 3000032V

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Reloading Die Spare Parts Nut M8x1](#)

Safety Instruction Guide for Reloading Die Spare Parts Nut M8x1

Introduction

Thank you for choosing the Reloading Die Spare Parts Nut M8x1. This product is designed to provide secure spindle fixation in reloading dies, ensuring a reliable and safe reloading process. Please read this safety instruction guide carefully to understand how to use this product safely and effectively.

General Safety Guidelines

- Ensure the product is used in accordance with the manufacturer's instructions.
- Always inspect the product for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recalls and safety updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use only with compatible reloading dies, specifically those from Triebel Waffenwerkzeuge.
- Do not exceed the recommended torque specifications when tightening the lock nut.
- Avoid using the product in wet or damp conditions to prevent rust and corrosion.
- Always wear appropriate safety gear, such as safety glasses, when handling reloading equipment.
- Ensure that the work area is clean and free from obstructions to prevent accidents.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the reloading die is properly cleaned and free from debris.
- Gather the necessary tools for installation, including a wrench suitable for M8x1 threads.

2. Installation:

- Align the lock nut with the spindle of the reloading die.
- Handtighten the lock nut onto the spindle until it is snug.
- Use the wrench to tighten the lock nut further, ensuring it is secure but not overtightened.

3. Usage:

- After installation, check the stability of the reloading die before use.
- Regularly inspect the lock nut during reloading sessions to ensure it remains secure.
- If any movement or looseness is detected, stop usage immediately and retighten the lock nut.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the product if facilities are available in your area.

Contact Information for Further Support

For any questions or concerns regarding the Reloading Die Spare Parts Nut M8x1, please refer to the manufacturer or your point of purchase for assistance. Ensure you have your purchase details available for reference.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your Reloading Die Spare Parts Nut M8x1. Thank you for prioritizing safety in your reloading practices.