

Reloading Die Spare Parts - Decapping Pin ⌀2,70mm 2 Stk.

Decapping pins (2 pcs) made from steel, precision-manufactured – ensure reliable primer removal during reloading. To be secured with decapping pin holder. Suitable for original dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Decapping Pin ⌀2,70mm 2 Stk.
- Manufacturer: TRIEBEL
- Product no.: EU2017584
- Mfr. No.: 3000070V-2.70
- Thread: 0
- Delivery weight: 0.001kg
- Shipping height: 15mm
- Shipping width: 2mm
- Shipping length: 2mm
- EAN: 3000070V-2.70

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Reloading Die Spare Parts Decapping Pin](#)

Safety Instruction Guide for Reloading Die Spare Parts Decapping Pin

Introduction

Thank you for purchasing the Reloading Die Spare Parts Decapping Pin. This product is designed to assist you in the reloading process by ensuring reliable primer removal. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure safe handling and usage of all nonfood products, including reloading tools.
- Be aware of potential risks associated with the use of reloading equipment.
- Regularly check for updates on product safety and recalls through the EU's Safety Gate platform.
- Report any unsafe products or accidents to the relevant authorities immediately.
- For your safety, keep all reloading tools out of reach of children and vulnerable individuals.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including safety glasses and gloves, when using reloading tools.
- Ensure that the work area is clean and free from distractions.
- Inspect the decapping pins for any signs of wear or damage before use.
- Use the decapping pin holder to secure the pins properly during operation.
- Do not exceed the specified dimensions or usage limits of the decapping pins.
- Follow all manufacturer guidelines for compatibility with reloading dies.

Instructions for Installation and Usage

1. Installation of Decapping Pins:

- Remove the existing decapping pin from the reloading die if applicable.
- Insert the new decapping pin into the decapping pin holder.
- Ensure the pin is securely fastened to prevent it from loosening during use.

2. Usage of Decapping Pins:

- Align the reloading die with the cartridge case to ensure proper positioning.
- Apply consistent pressure to remove the primer while using the decapping pin.
- Avoid excessive force which may damage the pin or the die.

3. PostUsage Care:

- Clean the decapping pins after use to remove any debris or residue.
- Store the decapping pins in a safe, dry place away from moisture.

Disposal Instructions

- Dispose of any damaged or worn decapping pins in accordance with local regulations.
- Do not dispose of reloading tools in regular household waste.
- Check with local authorities for proper disposal methods for metal products.

Contact Information for Further Support

For any inquiries regarding safety or usage of the Reloading Die Spare Parts Decapping Pin, please refer to the manufacturer's contact points or your local retailer. It is important to have access to support for any questions or concerns you may have regarding this product.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safe and effective reloading experience.