

Neck Bushing ⌀12,7-4,80/.1890

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-4,80/.1890
- Manufacturer: TRIEBEL
- Product no.: EU2017588
- Mfr. No.: 3000240V-04.80
- Diameter mm: 12,7 / 4,80
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-04.80

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing and is made from highquality hardened steel. Please read this safety instruction guide carefully to ensure safe and effective use of the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used in accordance with the manufacturer's instructions.
- Always inspect the Neck Bushing for any signs of damage or wear before use. Do not use a damaged bushing.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Use personal protective equipment (PPE) such as safety glasses and gloves when handling the Neck Bushing.
- Do not modify or alter the Neck Bushing in any way.
- Report any unsafe conditions or incidents involving the Neck Bushing to the appropriate authorities.

Specific Safety Precautions for Use

- Use the Neck Bushing only with compatible reloading dies from Triebel Waffenwerkzeuge.
- Ensure that the bushing is properly secured in the reloading die before use.
- Avoid excessive force when resizing to prevent damage to the bushing or the die.
- Be aware of your surroundings to prevent accidents during operation.
- Always follow the reloading safety guidelines provided by the manufacturer of your reloading equipment.

Instructions for Installation and Usage

1. Installation:

- Ensure that the reloading die is clean and free of debris.
- Insert the Neck Bushing into the reloading die, ensuring it is seated properly.
- Tighten the die according to the manufacturer's specifications to secure the bushing in place.

2. Usage:

- Prepare your brass cases according to standard reloading procedures.
- Insert the brass case into the reloading die with the Neck Bushing installed.
- Operate the reloading press smoothly and steadily, applying even pressure.
- After resizing, inspect the brass case for any deformities or issues.

3. PostUse Care:

- Clean the Neck Bushing after each use to remove any residues.
- Store the Neck Bushing in a safe and dry place, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.
- Do not dispose of the bushing in regular household waste.
- If the Neck Bushing is damaged or no longer usable, consider recycling options if available.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the manufacturer's contact details provided with your purchase.

Thank you for taking the time to read this safety instruction guide. Your safety is our priority, and we hope you have a successful experience with the Neck Bushing.