

Neck Bushing ⌀12,7-5,56/.2189

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-5,56/.2189
- Manufacturer: TRIEBEL
- Product no.: EU2017590
- Mfr. No.: 3000240V-05.56
- Diameter mm: 12,7 / 5,56
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-05.56

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides important safety instructions and information to ensure safe and effective use of the product. Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose of neck sizing in reloading applications.
- Always inspect the Neck Bushing for any signs of damage or wear before use. Do not use a damaged bushing.
- Keep the Neck Bushing out of reach of children and vulnerable individuals to prevent accidents.
- Use the Neck Bushing in a wellventilated area to avoid inhaling any dust or particles generated during use.
- Follow all applicable local and national regulations regarding the use of reloading equipment and components.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when using the Neck Bushing.
- Ensure that the reloading press is stable and securely fastened before attaching the Neck Bushing.
- Do not exceed the recommended sizing limits of the Neck Bushing as specified by the manufacturer.
- Avoid using excessive force when sizing cases to prevent damage to the bushing and ensure consistent results.
- Be cautious when handling reloaded ammunition, as improper handling can lead to accidents.

Instructions for Installation and Usage

1. Installation:

- Ensure your reloading press is clean and free from debris.
- Carefully insert the Neck Bushing into the appropriate die according to the manufacturer's instructions.
- Tighten the die securely to prevent movement during operation.

2. Usage:

- Prepare your cases by cleaning and inspecting them for defects.
- Adjust the reloading press to the correct settings as specified in your reloading manual.
- Place the case in the press and engage the Neck Bushing to size the neck of the case.
- Repeat the process as necessary, ensuring each case is sized uniformly.

3. PostUse:

- After use, clean the Neck Bushing with a soft cloth to remove any debris or residue.
- Store the Neck Bushing in a safe, dry place away from direct sunlight and moisture.

Disposal Instructions

- Dispose of any damaged or worn Neck Bushings in accordance with local regulations for metal waste.
- Do not dispose of the Neck Bushing in regular household waste.

- Consider recycling options available in your area for metal products.

Contact Information for Further Support

For any inquiries or concerns regarding the Neck Bushing, please refer to the manufacturer's contact information provided with the product packaging or visit the manufacturer's website.

By following these guidelines, you can ensure safe and effective use of the Neck Bushing. Thank you for taking the time to read this safety instruction guide.