

Neck Bushing ⌀12,7-6,10/.2402

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,10/.2402
- Manufacturer: TRIEBEL
- Product no.: EU2017597
- Mfr. No.: 3000240V-06.10
- Diameter mm: 12,7 / 6,10
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.10

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing designed for precise neck sizing in reloading applications. This guide provides essential safety instructions and precautions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure safe use of the Neck Bushing by following these general safety guidelines:
 - Always read and understand the product instructions before use.
 - Keep the product out of reach of children and vulnerable individuals.
 - Regularly check for any signs of wear or damage to the bushing.
 - Use the bushing only for its intended purpose as specified in the product description.
 - Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- When using the Neck Bushing, adhere to the following safety precautions:
 - Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, to protect against metal shavings and debris.
 - Ensure that the reloading press is stable and secure before use.
 - Do not exceed the recommended sizing limits of the bushing.
 - Avoid using the bushing if it shows signs of damage or excessive wear.
 - Store the bushing in a dry and safe place when not in use to prevent rust and other damage.

Instructions for Installation and Usage

- Follow these steps for the proper installation and use of the Neck Bushing:
 1. Before installation, ensure that the reloading die is clean and free of debris.
 2. Carefully insert the Neck Bushing into the reloading die.
 3. Secure the bushing in place according to the manufacturer's instructions for your reloading die.
 4. Adjust the die to the desired sizing dimension, ensuring it is set correctly for the specific cartridge being reloaded.
 5. Load the cartridge case into the press, ensuring it is properly aligned with the bushing.
 6. Operate the reloading press smoothly and steadily to avoid damaging the bushing or the cartridge case.
 7. After use, clean the bushing to remove any residue and store it properly.

Disposal Instructions

- To dispose of the Neck Bushing safely:
 - Check local regulations for guidelines on disposing of metal products.
 - If the bushing is damaged or worn beyond use, consider recycling it to minimize environmental impact.
 - Do not throw the bushing in regular household waste.

Contact Information for Further Support

- For any safety inquiries or support related to the Neck Bushing, please refer to the contact details provided in the product packaging or on the manufacturer's website.

By following these guidelines and instructions, you can ensure the safe and effective use of the Neck Bushing.

Thank you for your attention to safety and responsible reloading practices.