

Neck Bushing ⌀12,7-6,15/.2421

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,15/.2421
- Manufacturer: TRIEBEL
- Product no.: EU2017599
- Mfr. No.: 3000240V-06.15
- Diameter mm: 12,7 / 6,15
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.15

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety information and instructions to ensure safe and effective use of the product. Please read this guide carefully before using the Neck Bushing to ensure your safety and the proper functioning of the product.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is neck sizing in reloading processes.
- Always handle the Neck Bushing with care to avoid injury or damage to the product.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Regularly inspect the Neck Bushing for any signs of wear or damage before use.
- If you notice any defects or irregularities, discontinue use immediately and contact the manufacturer for guidance.
- Follow all local regulations and guidelines related to the use of reloading equipment.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, while operating the reloading equipment with the Neck Bushing.
- Ensure that the reloading equipment is properly set up and secured before using the Neck Bushing.
- Do not exceed the recommended specifications for the Neck Bushing, including diameter and pressure limits.
- Avoid using the Neck Bushing on materials or in conditions for which it is not designed.
- Keep hands and other body parts clear of moving parts during operation to prevent injuries.
- Be aware of your surroundings and ensure that the work area is clean and free from hazards.

Instructions for Installation and Usage

- Before installation, ensure that the reloading die is clean and free from debris.
- To install the Neck Bushing:
 1. Remove the existing bushing from the reloading die if applicable.
 2. Carefully insert the Neck Bushing into the reloading die, ensuring it is seated properly.
 3. Secure the bushing in place according to the manufacturer's instructions for your specific reloading die model.
- To use the Neck Bushing:
 1. Prepare your brass cases according to standard reloading procedures.
 2. Insert the brass case into the reloading die equipped with the Neck Bushing.
 3. Operate the reloading press according to the manufacturer's instructions, ensuring smooth and controlled operation.
- After use, clean the Neck Bushing and store it in a safe, dry place.

Disposal Instructions

- When disposing of the Neck Bushing, follow local regulations and guidelines for the disposal of metal products.
- Do not dispose of the Neck Bushing in general waste; instead, consider recycling options where available.
- Ensure that the Neck Bushing is rendered unusable before disposal to prevent accidental injuries.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please contact the manufacturer or visit their official website for more information.

Thank you for your attention to these safety guidelines. Your safety is our priority, and we wish you a successful reloading experience with the Neck Bushing.