

Neck Bushing ⌀12,7-6,18/.2433

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: [Neck Bushing ⌀12,7-6,18/.2433](#)
- Manufacturer: [TRIEBEL](#)
- Product no.: EU2017601
- Mfr. No.: 3000240V-06.18
- Diameter mm: 12,7 / 6,18
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.18

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Neck Bushing](#)
- [About Us](#)

Safety Instruction Guide for Neck Bushing

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this document carefully before using the Neck Bushing to understand the necessary precautions and guidelines.

General Safety Guidelines

- Ensure that you are familiar with the product before use.
- Always keep the product out of reach of children and vulnerable individuals.
- Inspect the Neck Bushing for any signs of damage or wear before each use.
- Use the product only for its intended purpose as specified in this guide.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when using the Neck Bushing.
- Avoid using the Neck Bushing with incompatible reloading dies or equipment.
- Ensure that your workspace is clean and free from any obstructions that could lead to accidents.
- Do not exceed the maximum specifications for the Neck Bushing, including the diameter limits of 12.7 mm and 6.18 mm.
- Handle the Neck Bushing with care to prevent injury from sharp edges.
- If you experience any discomfort or unusual sensations while using the product, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before beginning the installation process.
- Ensure that your reloading press is clean and properly set up.

2. Installation:

- Carefully remove the Neck Bushing from its packaging.
- Insert the Neck Bushing into the designated slot of your reloading die, ensuring a snug fit.
- Secure the bushing in place according to the manufacturer's instructions for your specific reloading die.

3. Usage:

- Adjust the reloading press to the desired settings for neck sizing.
- Place the cartridge case into the reloading die and apply the necessary pressure to size the neck.
- Regularly check the dimensions of the cartridge cases to ensure proper sizing and avoid overworking the brass.
- After use, carefully remove the cartridge cases and inspect them for any signs of damage.

Disposal Instructions

- Dispose of the Neck Bushing responsibly when it reaches the end of its useful life.
- Follow local regulations for the disposal of metal products.
- Do not dispose of the Neck Bushing in regular household waste.
- Consider recycling the product if possible.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please refer to the contact information provided by the manufacturer or retailer where the product was purchased. Ensure you have the product details ready for a more efficient support experience.

By adhering to these safety instructions, you can ensure a safe and effective experience with the Neck Bushing. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk