

Neck Bushing ⌀12,7-6,20/.2441

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,20/.2441
- Manufacturer: TRIEBEL
- Product no.: EU2017603
- Mfr. No.: 3000240V-06.20
- Diameter mm: 12,7 / 6,20
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.20

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Neck Bushing](#)

Safety Instruction Guide for Neck Bushing

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing and is made from highquality hardened steel. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that all users are familiar with the product and its intended use.
- Always inspect the Neck Bushing for damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all instructions provided in this guide to minimize risks.
- Report any unsafe product conditions to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling the Neck Bushing.
- Ensure that the reloading die is securely mounted before using the Neck Bushing.
- Do not exceed the recommended sizing limits specified for the Neck Bushing.
- Avoid using the Neck Bushing in wet or damp conditions to prevent corrosion and ensure proper handling.
- Use the product only for its intended purpose; misuse can lead to accidents and injuries.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting the installation.
- Ensure your workspace is clean and welllit.

2. Installation:

- Carefully remove the Neck Bushing from its packaging.
- Inspect the bushing for any visible defects or damage.
- Attach the Neck Bushing to the reloading die by following the manufacturer's instructions for your specific die model.
- Ensure the bushing is securely fastened and properly aligned.

3. Usage:

- Begin the neck sizing process by inserting the cartridge case into the reloading die.
- Use a press to apply even pressure when sizing the neck.
- Monitor the sizing process to ensure consistent results and prevent oversizing.
- After completion, remove the cartridge case and inspect it for proper sizing.

4. PostUse Care:

- Clean the Neck Bushing after each use to remove any debris or residue.
- Store the Neck Bushing in a dry location to prevent rust and damage.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling options available in your area for metal products.

Contact Information for Further Support

For any safety inquiries or further support regarding the Neck Bushing, please contact the manufacturer or your local distributor.

By following these guidelines, you can ensure safe and effective use of the Neck Bushing. Thank you for your attention to safety!