

Neck Bushing ⌀12,7-6,25/.2461

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,25/.2461
- Manufacturer: TRIEBEL
- Product no.: EU2017608
- Mfr. No.: 3000240V-06.25
- Diameter mm: 12,7 / 6,25
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.25

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing in reloading applications. To ensure your safety and the effective use of this product, please read this guide carefully. It contains important safety information, usage instructions, and disposal guidelines.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the Neck Bushing for damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Store the Neck Bushing in a dry place and avoid exposure to extreme temperatures.
- Follow all local laws and regulations regarding reloading and ammunition.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the Neck Bushing.
- Ensure that your workspace is clean and free of obstructions before beginning any reloading operation.
- Do not exceed the recommended specifications for neck sizing as indicated by your reloading equipment.
- Be cautious of sharp edges when handling the Neck Bushing; always handle with care.
- If you experience any unusual resistance during use, stop immediately and inspect the equipment.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading die is clean and free of debris.
- Carefully insert the Neck Bushing into the reloading die, ensuring it is seated properly.
- Tighten the die according to the manufacturer's specifications to secure the Neck Bushing in place.

2. Usage:

- Prepare your brass cases by cleaning them thoroughly.
- Adjust your reloading press according to the specifications for neck sizing.
- Insert the brass case into the reloading press and activate the press to size the neck of the case.
- Inspect the sized case for proper dimensions and concentricity.
- Repeat the process as necessary for additional cases.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is damaged or unusable.
- Consider recycling options for metal components if applicable.

Contact Information for Further Support

For safety inquiries or further support, please refer to the manufacturer or authorized distributor.

Thank you for your attention to these safety instructions. Your careful handling and adherence to these guidelines will help ensure a safe and effective reloading experience.