

Neck Bushing ⌀12,7-6,37/.2508

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,37/.2508
- Manufacturer: TRIEBEL
- Product no.: EU2017614
- Mfr. No.: 3000240V-06.37
- Diameter mm: 12,7 / 6,37
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.37

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instructions](#)

Neck Bushing Safety Instructions

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this document carefully before using the Neck Bushing to understand how to handle it safely and responsibly.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the Neck Bushing by following all instructions. This product is designed for nonfood use and should not be used for any other purpose.
- **Enhanced Recalls:** Stay informed about any recalls related to this product. If a recall is issued, follow the instructions provided for safe returns or remedies.
- **Online Shopping:** When purchasing online, ensure that the retailer complies with safety requirements. Verify product authenticity to ensure safety.
- **Special Consumer Focus:** This product is not intended for children. Keep it out of reach of minors to prevent accidents or misuse.
- **EU Contact Point:** For any safety inquiries, ensure you have access to a contact point within the EU.
- **Rapid Alerts:** Be aware of the Safety Gate system for updates on unsafe products. Regularly check for any alerts regarding the Neck Bushing.

Specific Safety Precautions for Use

- Always inspect the Neck Bushing before use for any signs of damage or wear.
- Use protective eyewear when handling or using the Neck Bushing to prevent injury from debris.
- Ensure that the Neck Bushing is compatible with your reloading die before use.
- Do not exceed the specified limits for neck sizing to avoid damaging the bushing or the reloading die.
- Store the Neck Bushing in a dry and secure location to prevent rust or corrosion.
- Avoid using the Neck Bushing in environments where it may be exposed to moisture or extreme temperatures.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading die is clean and free from debris.
- Carefully insert the Neck Bushing into the reloading die according to the manufacturer's instructions.
- Secure the bushing in place, ensuring it is tightly fitted to prevent movement during use.

2. Usage:

- Prepare the cases to be resized according to standard reloading practices.
- Insert the case into the reloading die with the installed Neck Bushing.
- Apply consistent pressure to resize the neck of the case, ensuring even application throughout the process.
- After resizing, remove the case from the die and inspect it for proper sizing.

Disposal Instructions

- Dispose of the Neck Bushing responsibly. If it becomes damaged or worn out, do not throw it in regular waste.
- Check local regulations for the proper disposal of metal products.

- Consider recycling options to minimize environmental impact.

Contact Information for Further Support

For further support, please refer to the contact information provided by the retailer or manufacturer. Ensure that you have access to assistance for any questions or concerns regarding the Neck Bushing.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities.