

Neck Bushing ⌀12,7-6,50/.2559

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,50/.2559
- Manufacturer: TRIEBEL
- Product no.: EU2017617
- Mfr. No.: 3000240V-06.50
- Diameter mm: 12,7 / 6,50
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.50

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety information and instructions to ensure safe and effective use of the product. Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Always inspect the Neck Bushing for any signs of damage or wear before use.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Use the Neck Bushing only for its intended purpose of neck sizing in reloading processes.
- Follow all manufacturer's instructions and safety guidelines when using the product.
- Ensure that all tools and equipment used in conjunction with the Neck Bushing are in safe working condition.

Specific Safety Precautions for Use

- Do not exceed the specified dimensions of the Neck Bushing during use.
- Always wear appropriate safety gear, such as safety glasses, when operating machinery that uses the Neck Bushing.
- Avoid using excessive force when inserting or adjusting the Neck Bushing to prevent damage or injury.
- Ensure that the area is wellventilated if using the Neck Bushing in conjunction with any chemicals or lubricants.
- Report any incidents or accidents involving the Neck Bushing to the appropriate authorities.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials for neck sizing.
- Ensure that the work area is clean and organized.

2. Installation:

- Securely attach the Neck Bushing to the reloading die according to the manufacturer's instructions.
- Ensure that the bushing is properly aligned and tightened to prevent movement during use.

3. Usage:

- Insert the case into the reloading die with the installed Neck Bushing.
- Operate the reloading press according to the manufacturer's instructions, applying consistent pressure.
- Inspect the sized cases for uniformity and proper sizing after use.

4. PostUse:

- Clean the Neck Bushing after each use to remove any debris or residue.
- Store the Neck Bushing in a dry and secure location to prevent damage.

Disposal Instructions

- Dispose of the Neck Bushing responsibly at the end of its life cycle.

- Follow local regulations for the disposal of metal products.
- Consider recycling the Neck Bushing if possible to minimize environmental impact.

Contact Information for Further Support

For any inquiries or further assistance regarding the Neck Bushing, please contact the manufacturer directly. Ensure that you have the product details handy for reference.

Thank you for choosing our Neck Bushing. Your safety and satisfaction are our top priorities. Always adhere to the guidelines provided in this manual to ensure a safe and effective reloading experience.