

Neck Bushing ⌀12,7-6,53/.2571

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,53/.2571
- Manufacturer: TRIEBEL
- Product no.: EU2017618
- Mfr. No.: 3000240V-06.53
- Diameter mm: 12,7 / 6,53
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.53

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read and follow these guidelines carefully to avoid potential hazards and ensure optimal performance.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is neck sizing for reloading ammunition.
- Always inspect the Neck Bushing for any signs of damage or wear before use. Do not use if damaged.
- Keep the Neck Bushing out of reach of children and vulnerable individuals to prevent accidental injury.
- Use personal protective equipment (PPE) such as safety glasses and gloves when handling and using the Neck Bushing.
- Report any unsafe products or accidents to the appropriate authorities and check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the Neck Bushing with compatible reloading dies from Triebel Waffenwerkzeuge.
- Ensure that the reloading machine is properly set up and maintained according to the manufacturer's instructions.
- Do not exceed the recommended sizing limits of the Neck Bushing to avoid damage to the product and ensure safety.
- Avoid direct contact with sharp edges of the Neck Bushing during handling and installation.
- Always follow proper reloading practices to minimize risks associated with ammunition handling.

Instructions for Installation and Usage

1. Installation:

- Ensure that the reloading die is securely mounted on the reloading machine.
- Carefully insert the Neck Bushing into the designated area of the die, ensuring a snug fit.
- Tighten any screws or fasteners as per the reloading die's instructions to secure the Neck Bushing in place.

2. Usage:

- Prepare your brass cases according to standard reloading procedures.
- Insert the brass case into the reloading machine.
- Activate the machine to size the neck of the brass case using the Neck Bushing.
- After sizing, carefully remove the brass case from the machine and inspect it for proper sizing.

3. PostUsage:

- After use, clean the Neck Bushing to remove any debris or residue.
- Store the Neck Bushing in a safe and dry place, away from direct sunlight and moisture.

Disposal Instructions

- Dispose of the Neck Bushing responsibly. Follow local regulations for metal recycling.
- Do not dispose of the Neck Bushing in regular household waste.

Contact Information for Further Support

For any inquiries regarding the Neck Bushing or safety concerns, please refer to the product packaging for contact details or consult the manufacturer's website.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.