

Neck Bushing ⌀12,7-6,57/.2587

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,57/.2587
- Manufacturer: TRIEBEL
- Product no.: EU2017621
- Mfr. No.: 3000240V-06.57
- Diameter mm: 12,7 / 6,57
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.57

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instructions](#)

Neck Bushing Safety Instructions

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing and is made from highquality hardened steel. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the Neck Bushing is used in accordance with the manufacturer's instructions.
- Always inspect the Neck Bushing for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Use personal protective equipment (PPE) such as safety glasses and gloves when handling or using the Neck Bushing.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the recommended dimensions when using the Neck Bushing.
- Avoid using the Neck Bushing for purposes other than its intended use.
- Ensure that the Neck Bushing is properly fitted into your reloading die before use.
- Do not modify the Neck Bushing in any way, as this may compromise safety and effectiveness.
- Store the Neck Bushing in a safe, dry place when not in use to prevent damage or accidents.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure that your workspace is clean and free of unnecessary items.

2. Installation:

- Carefully remove the Neck Bushing from its packaging.
- Inspect the Neck Bushing for any defects or damage.
- Insert the Neck Bushing into the reloading die, ensuring it is securely fitted.
- Tighten the die according to the manufacturer's specifications.

3. Usage:

- Follow the reloading die instructions for proper operation.
- Monitor the Neck Bushing during use for any signs of wear or damage.
- If any issues arise, discontinue use immediately and inspect the product.

4. PostUsage:

- Clean the Neck Bushing after each use to maintain its performance.
- Store the Neck Bushing in its original packaging or a safe container.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.

- Do not dispose of the Neck Bushing in general waste.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the Neck Bushing, please refer to the product packaging or visit the manufacturer's website. Ensure you have the product details ready for efficient support.

Thank you for your attention to these safety guidelines. Your safety is our priority.