

Neck Bushing ⌀12,7-6,62/.2606

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,62/.2606
- Manufacturer: TRIEBEL
- Product no.: EU2017625
- Mfr. No.: 3000240V-06.62
- Diameter mm: 12,7 / 6,62
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.62

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instructions](#)

Neck Bushing Safety Instructions

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing in reloading applications. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the Neck Bushing is used only with compatible reloading dies from Triebel Waffenwerkzeuge.
- Always inspect the Neck Bushing for any signs of damage or wear before each use.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Do not use the Neck Bushing for any purpose other than its intended use.
- If you experience any issues during use, stop immediately and consult a professional.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling and using the Neck Bushing.
- Ensure that your workspace is clean and welllit to avoid accidents.
- Be cautious of sharp edges and points on the Neck Bushing and surrounding equipment.
- Avoid using excessive force when installing or removing the Neck Bushing.
- Follow all manufacturer instructions for the reloading process to minimize risks.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is turned off and unplugged before installation.
- Remove any existing bushing from the reloading die.
- Carefully insert the Neck Bushing into the die, ensuring it is seated properly.
- Secure the bushing according to the manufacturer's instructions.

2. Usage:

- Adjust the reloading press settings according to the specifications for your specific cartridge.
- Feed the cartridge case into the press and ensure it is aligned correctly with the Neck Bushing.
- Operate the press smoothly and steadily, applying consistent pressure.
- After sizing, inspect the cartridge case for any defects or irregularities.

3. PostUsage:

- Clean the Neck Bushing after each use to remove any debris or residue.
- Store the Neck Bushing in a dry, safe place when not in use.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations for metal products.
- Do not dispose of the Neck Bushing in regular household waste.
- If the Neck Bushing is damaged beyond use, consider recycling options available in your area.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Neck Bushing, please refer to the product packaging for the appropriate contact details. Always ensure you have the latest information regarding safety recalls or updates.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your Neck Bushing. Regularly review these guidelines and stay informed about safety practices related to your reloading activities. Thank you for your attention to safety.