

Neck Bushing ⌀12,7-6,63/.2610

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,63/.2610
- Manufacturer: TRIEBEL
- Product no.: EU2017626
- Mfr. No.: 3000240V-06.63
- Diameter mm: 12,7 / 6,63
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.63

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing in reloading applications. To ensure safe and effective use, please read and follow the safety instructions provided in this guide. Adhering to these guidelines will help you avoid potential hazards and ensure a positive experience with your Neck Bushing.

General Safety Guidelines

- Always use the Neck Bushing according to the manufacturer's instructions.
- Inspect the product for any signs of damage or wear before use.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Use personal protective equipment (PPE) such as safety glasses and gloves when handling the product.
- Store the Neck Bushing in a safe and dry location when not in use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Ensure that the Neck Bushing is compatible with your reloading dies before use.
- Do not exceed the recommended sizing limits of the Neck Bushing.
- Avoid using the product if it appears damaged or defective.
- Always operate the reloading equipment in a wellventilated area.
- Be cautious of sharp edges and surfaces when handling the Neck Bushing.
- Do not force the Neck Bushing into the die; ensure a proper fit to avoid damage.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is properly set up and secured.
- Remove any existing bushing from the die if necessary.
- Insert the Neck Bushing into the die, ensuring it is seated properly.
- Tighten the locking mechanism to secure the bushing in place.

2. Usage:

- Adjust the reloading press according to your specific requirements.
- Place the cartridge case into the die and apply steady pressure to size the neck.
- Inspect the sized neck for consistency and accuracy after each use.
- Clean the Neck Bushing after use to prevent buildup of debris.

Disposal Instructions

- Dispose of any damaged or worn Neck Bushings in accordance with local regulations.
- Do not dispose of the Neck Bushing in regular household waste if it is made of metal; check for recycling options.
- Ensure that the product is completely clean before disposal to avoid contamination.

Contact Information for Further Support

For any inquiries or concerns regarding the Neck Bushing, please reach out to the manufacturer's customer support. Ensure that you have the product details and any relevant information available for a more efficient response.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities.