

Neck Bushing ⌀12,7-6,70/.2638

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,70/.2638
- Manufacturer: TRIEBEL
- Product no.: EU2017630
- Mfr. No.: 3000240V-06.70
- Diameter mm: 12,7 / 6,70
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.70

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instructions](#)

Neck Bushing Safety Instructions

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing in reloading applications. It is essential to follow the safety instructions to ensure safe and effective use. This guide provides important safety information, usage instructions, and contact information for further support.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose as described in this manual.
- Always inspect the Neck Bushing for any signs of wear or damage before use.
- Use in a wellventilated area to avoid inhalation of any dust or particles generated during use.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when handling the Neck Bushing.
- Do not exceed the manufacturer's specifications for diameter and usage.
- Avoid using the Neck Bushing with incompatible materials or equipment.
- Ensure that the Neck Bushing is securely attached to the reloading die before beginning any work.
- Do not force the Neck Bushing into the die; it should fit comfortably without excessive pressure.
- If the Neck Bushing becomes stuck, do not attempt to remove it forcefully as this may cause injury or damage.

Instructions for Installation and Usage

1. Installation:

- Ensure that the reloading die is clean and free from debris.
- Carefully insert the Neck Bushing into the reloading die until it is fully seated.
- Confirm that the Neck Bushing is aligned correctly and securely fastened.

2. Usage:

- Set up your reloading press according to the manufacturer's instructions.
- Place the cartridge case in the die and apply pressure to resize the neck using the Neck Bushing.
- Monitor the process closely to ensure that everything is functioning smoothly.
- After use, clean the Neck Bushing with a soft cloth to remove any residue.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations for metal recycling.
- Do not dispose of the product in household waste.
- If the Neck Bushing is damaged or no longer usable, contact your local waste management authority for guidance on proper disposal.

Contact Information for Further Support

For any inquiries regarding the Neck Bushing, including safety concerns or product support, please reach out to the designated EU contact point provided by your retailer or manufacturer.

Thank you for your attention to these safety instructions. Your safety is our priority.