

Neck Bushing ⌀12,7-6,73/.2650

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,73/.2650
- Manufacturer: TRIEBEL
- Product no.: EU2017632
- Mfr. No.: 3000240V-06.73
- Diameter mm: 12,7 / 6,73
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.73

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing in reloading applications. To ensure your safety and the proper use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose of neck sizing.
- Always inspect the Neck Bushing for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Store the Neck Bushing in a safe, dry place when not in use.
- Follow all local laws and regulations regarding reloading and firearm maintenance.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling the Neck Bushing.
- Do not exceed the recommended sizing specifications as indicated in the product documentation.
- Avoid using the Neck Bushing with incompatible reloading dies or equipment.
- Always ensure that the reloading press is securely mounted and stable before use.
- Never attempt to modify or alter the Neck Bushing in any way.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is turned off and unplugged before beginning installation.
- Remove any existing bushing from the reloading die, if applicable.
- Carefully insert the Neck Bushing into the die, ensuring it is seated properly.
- Tighten the die according to the manufacturer's instructions.

2. Usage:

- Prepare your brass cases according to standard reloading procedures.
- Insert the brass case into the reloading press, ensuring it is properly aligned.
- Slowly operate the reloading press to size the neck of the brass case.
- After sizing, remove the brass case and inspect it for proper sizing.
- Repeat the process as necessary for additional cases.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local waste management regulations.
- If the product is damaged beyond use, consider recycling any metal components where possible.
- Do not dispose of the Neck Bushing in regular household waste.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the Neck Bushing, please contact the manufacturer or your local distributor. They will be able to provide you with additional information and support.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your Neck Bushing. Always prioritize safety and consult the relevant guidelines and regulations in your area. Thank you for your attention to these important safety measures.