

Neck Bushing ⌀12,7-6,74/.2654

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,74/.2654
- Manufacturer: TRIEBEL
- Product no.: EU2017633
- Mfr. No.: 3000240V-06.74
- Diameter mm: 12,7 / 6,74
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.74

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides important safety instructions and guidelines to ensure the safe and effective use of the product. Please read this manual carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose: precise neck sizing in reloading processes.
- Always handle the Neck Bushing with care to avoid injury. The edges may be sharp.
- Keep the product out of reach of children and unauthorized users.
- Inspect the Neck Bushing regularly for any signs of wear or damage. Do not use if damaged.
- Store the Neck Bushing in a safe, dry place when not in use.

Specific Safety Precautions for Use

- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves while handling the Neck Bushing.
- Ensure that the reloading die is properly secured before using the Neck Bushing.
- Follow the manufacturer's guidelines for the specific reloading die being used with the Neck Bushing.
- Avoid using excessive force when sizing cases to prevent damage to the bushing or the reloading die.
- Do not attempt to modify or alter the Neck Bushing in any way.

Instructions for Installation and Usage

1. Preparation

- Ensure your reloading workspace is clean and organized.
- Gather all necessary tools and materials needed for reloading.

2. Installation

- Insert the Neck Bushing into the reloading die according to the manufacturer's instructions.
- Ensure that the bushing is seated securely and is aligned properly.

3. Usage

- Adjust the reloading press to the appropriate settings for the caliber and type of casing you are using.
- Insert the casing into the die and apply steady pressure to size the neck.
- Remove the casing from the die and inspect it for proper sizing.
- Repeat the process as necessary for additional casings.

4. PostUse Care

- Clean the Neck Bushing after each use to remove any debris or residue.
- Store the bushing in its designated case or container to prevent damage.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.

- If the bushing is damaged or no longer usable, consider recycling the material if possible.
- Do not dispose of the bushing in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please refer to the manufacturer's contact information provided with the product. Ensure to check for updates or safety notices regarding the Neck Bushing through the appropriate channels.

Thank you for prioritizing safety while using the Neck Bushing. Your adherence to these guidelines helps ensure a safe and effective reloading experience.