

Neck Bushing ⌀12,7-6,75/.2657

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,75/.2657
- Manufacturer: TRIEBEL
- Product no.: EU2017634
- Mfr. No.: 3000240V-06.75
- Diameter mm: 12,7 / 6,75
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.75

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing, a highquality tool designed for precise neck sizing in reloading applications. This guide provides essential safety instructions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always read and understand all instructions before using the Neck Bushing.
- Ensure that the product is suitable for your specific reloading needs.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Inspect the product for any damage before use. Do not use if damaged.
- Follow all safety recommendations to prevent accidents and injuries.

Specific Safety Precautions for Use

- Use the Neck Bushing only with compatible reloading dies from Triebel Waffenwerkzeuge.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, when handling and using the product.
- Do not exceed the recommended specifications for the Neck Bushing, including the diameter.
- Ensure that the work area is clean and free of distractions while using the Neck Bushing.
- Avoid using the Neck Bushing in wet or damp conditions to prevent slipping or accidents.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is turned off and disconnected from power if applicable.
- Remove any existing bushing from the reloading die.
- Insert the Neck Bushing into the die, ensuring it is seated properly.
- Secure the bushing according to the manufacturer's instructions.

2. Usage:

- Prepare your brass cases according to standard reloading practices.
- Adjust the reloading press to the appropriate settings for neck sizing.
- Carefully feed the brass case into the die with the installed Neck Bushing.
- Operate the press smoothly and steadily to achieve precise neck sizing.
- After use, carefully remove the brass case and inspect it for proper sizing.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for designated recycling facilities or hazardous waste disposal options.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please refer to the manufacturer's contact information provided in the product packaging or user manual. Always ensure that you have the latest information regarding safety recalls and product updates.

Important Note: This guide is intended to promote safe use of the Neck Bushing. Always stay informed about product recalls and safety alerts through the EU's Safety Gate platform. Report any unsafe products or incidents to the relevant authorities.