

## Neck Bushing &#x2300;12,7-6,77/.2665

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



### Attributes

- Name: Neck Bushing &#x2300;12,7-6,77/.2665
- Manufacturer: TRIEBEL
- Product no.: EU2017636
- Mfr. No.: 3000240V-06.77
- Diameter mm: 12,7 / 6,77
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.77

# Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

# Neck Bushing Safety Instruction Guide

## Introduction

Thank you for purchasing the Neck Bushing, designed for precise neck sizing in reloading applications. This guide provides important safety instructions and usage information to ensure your safety and the effective operation of the product. Please read this guide carefully before use.

## General Safety Guidelines

- Ensure safe use of the Neck Bushing by following all instructions provided.
- Be aware of potential hazards associated with the use of reloading equipment.
- Regularly check for updates on product recalls and safety notices through the EU Safety Gate platform.
- If you encounter an unsafe product or experience an accident, report it to the appropriate authorities.

## Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling and using reloading equipment.
- Keep the Neck Bushing and all reloading tools out of reach of children and vulnerable individuals.
- Inspect the Neck Bushing for any visible damage or wear before each use. Do not use if damaged.
- Avoid using the Neck Bushing with incompatible reloading dies or equipment.
- Follow the manufacturer's instructions for the specific reloading die being used in conjunction with the Neck Bushing.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure that the reloading press is turned off and unplugged before installation.
- Remove the existing bushing from the reloading die if applicable.
- Insert the Neck Bushing into the reloading die, ensuring it is seated properly.
- Tighten the locking mechanism of the die to secure the bushing in place.

### 2. Usage:

- Refer to the reloading die's manual for specific instructions on neck sizing.
- Adjust the die settings according to the specifications of the cartridge you are reloading.
- Perform a test run with a dummy round to ensure proper sizing before proceeding with live ammunition.
- Maintain a clean workspace and keep the area free from distractions while reloading.

## Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste. Check with local recycling centers for proper disposal methods.
- Ensure that any packaging materials are also disposed of responsibly.

## Contact Information for Further Support

For any inquiries or additional support regarding the Neck Bushing, please reach out to the appropriate customer service channels provided by the manufacturer. Always refer to the official website or documentation

for the most accurate and up-to-date contact details.

By following these safety instructions, you can ensure a safe and effective experience while using the Neck Bushing. Thank you for your attention to safety, and happy reloading!