

Neck Bushing ⌀12,7-6,90/.2717

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-6,90/.2717
- Manufacturer: TRIEBEL
- Product no.: EU2017644
- Mfr. No.: 3000240V-06.90
- Diameter mm: 12,7 / 6,90
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-06.90

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety instructions and information to ensure the safe use of the product. Please read this guide carefully before using the Neck Bushing to understand the precautions necessary for safe operation.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is precise neck sizing in reloading applications.
- Always inspect the Neck Bushing for any signs of damage or wear before use. Do not use a damaged bushing.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding reloading and ammunition handling.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):** Always wear appropriate safety gear, such as safety glasses and gloves, when using the Neck Bushing.
- **Work Environment:** Use the Neck Bushing in a wellventilated area, free from distractions and hazards.
- **Tool Compatibility:** Ensure that the Neck Bushing is compatible with your reloading dies and equipment.
- **Handling:** Handle the Neck Bushing with care to avoid injury. Do not drop or mishandle the bushing.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting the reloading process.
- Ensure that your reloading press is clean and in good working condition.

2. Installation:

- Remove the existing bushing from your reloading die if applicable.
- Insert the Neck Bushing into the die, ensuring it is seated correctly.
- Tighten any locking mechanisms to secure the bushing in place.

3. Usage:

- Follow the manufacturer's instructions for your specific reloading press.
- Adjust the die settings according to the specifications for the caliber you are reloading.
- Perform a test run with a dummy round to ensure proper sizing before proceeding with live ammunition.

4. PostUse:

- Clean the Neck Bushing after use to prevent buildup of debris and maintain accuracy.
- Store the Neck Bushing in a safe and dry location when not in use.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.
- Do not dispose of the Neck Bushing in regular household waste if it is damaged or worn. Instead, consult local waste management services for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding the safety and use of the Neck Bushing, please refer to the manufacturer's contact information provided with the product packaging or visit the manufacturer's official website.

Thank you for your attention to these safety guidelines. Your safety and the effective use of the Neck Bushing are our top priorities.