

Neck Bushing ⌀12,7-7,05/.2776

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,05/.2776
- Manufacturer: TRIEBEL
- Product no.: EU2017647
- Mfr. No.: 3000240V-07.05
- Diameter mm: 12,7 / 7,05
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.05

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing in reloading applications. To ensure your safety and the proper use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure safe handling of the Neck Bushing to avoid injury.
- Use the product only for its intended purpose, which is neck sizing in reloading processes.
- Always inspect the Neck Bushing for damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the Neck Bushing.
- Ensure that the reloading die is compatible with the Neck Bushing before use.
- Do not exceed the recommended specifications for reloading, as this may lead to unsafe conditions.
- Avoid using the Neck Bushing in wet or damp environments to prevent slips and falls.
- Keep your work area clean and organized to minimize the risk of accidents.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is securely mounted on a stable surface.
- Remove any existing bushing from the reloading die, if applicable.
- Carefully insert the Neck Bushing into the die, ensuring it is seated properly.
- Tighten the die according to the manufacturer's specifications, ensuring a secure fit.

2. Usage:

- Prepare your brass cases by cleaning and inspecting them for defects.
- Insert the brass case into the reloading die with the installed Neck Bushing.
- Operate the reloading press according to the manufacturer's instructions for neck sizing.
- After sizing, remove the brass case and inspect it for proper sizing and any signs of damage.

3. PostUse:

- Clean the Neck Bushing after use to remove any debris or residue.
- Store the Neck Bushing in a dry, safe place to prevent damage.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations for metal products.
- Do not dispose of the Neck Bushing in regular household waste.
- If the product is damaged or no longer usable, consider recycling options available in your area.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please consult the manufacturer or your retailer. Ensure that you have the product details on hand for reference.

By following these guidelines, you can ensure safe and effective use of the Neck Bushing. Thank you for your attention to safety.