

Neck Bushing ⌀12,7-7,24/.2850

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,24/.2850
- Manufacturer: TRIEBEL
- Product no.: EU2017657
- Mfr. No.: 3000240V-07.24
- Diameter mm: 12,7 / 7,24
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.24

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety instructions and usage guidelines to ensure your safety while using this product. Please read this document carefully to understand how to use the Neck Bushing safely and effectively.

General Safety Guidelines

- Always ensure that the Neck Bushing is used in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the Neck Bushing for any signs of wear or damage before each use.
- If you notice any defects or irregularities, do not use the product and contact the manufacturer for guidance.
- Follow all local regulations regarding the use and disposal of reloading equipment and components.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):** Always wear appropriate PPE, such as safety glasses and gloves, when handling the Neck Bushing.
- **Safe Handling:** Handle the Neck Bushing with care to avoid injury. Do not apply excessive force during installation or removal.
- **Work Environment:** Ensure your work area is clean, welllit, and free of distractions to minimize the risk of accidents.
- **Compatibility Check:** Ensure that the Neck Bushing is compatible with your reloading dies and equipment before use.
- **Avoid Overheating:** Do not expose the Neck Bushing to extreme temperatures, as this may affect its performance and safety.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting the installation process.
- Ensure that your reloading press is turned off and unplugged.

2. Installation:

- Carefully remove the Neck Bushing from its packaging.
- Align the Neck Bushing with the appropriate threads on your reloading die.
- Gently screw the Neck Bushing into place, ensuring it is securely fastened but not overtightened.

3. Usage:

- Follow the instructions provided with your reloading die for the specific reloading process.
- Regularly check the alignment and condition of the Neck Bushing during use.
- If you experience any unusual resistance or difficulty, stop immediately and inspect the setup.

4. PostUse Care:

- After use, clean the Neck Bushing thoroughly to remove any debris or residue.
- Store the Neck Bushing in a safe and dry location, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations regarding metal recycling and hazardous waste.
- Do not dispose of the Neck Bushing in regular household waste.
- If the Neck Bushing is damaged or no longer usable, contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please refer to the manufacturer's contact details provided with your product packaging. It is important to have access to support for safe usage and maintenance.

Conclusion

By following the safety instructions outlined in this guide, you can ensure a safe and effective experience with the Neck Bushing. Always prioritize safety and do not hesitate to seek assistance if needed. Thank you for your attention to these important safety guidelines.