

Neck Bushing ⌀12,7-7,27/.2862

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,27/.2862
- Manufacturer: TRIEBEL
- Product no.: EU2017660
- Mfr. No.: 3000240V-07.27
- Diameter mm: 12,7 / 7,27
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.27

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing manufactured by TRIEBEL. This guide provides essential safety instructions and information for the safe use, installation, and disposal of the product. Please read this guide thoroughly before using the Neck Bushing to ensure safety and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose: precise neck sizing in reloading processes.
- Always inspect the Neck Bushing for any signs of damage or wear before use. Do not use a damaged product.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Store the Neck Bushing in a safe and dry place, away from direct sunlight and moisture.
- If you notice any unusual behavior or performance from the Neck Bushing, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the Neck Bushing.
- Ensure that your workspace is clean and organized to prevent accidents during the reloading process.
- Follow the manufacturer's instructions for your reloading dies to ensure compatibility and safe operation.
- Do not exceed the recommended sizing limits of the Neck Bushing, as this may lead to malfunctions or accidents.
- Be cautious of sharp edges on the Neck Bushing during handling and installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials for reloading.
- Ensure that your reloading press is properly set up and secured.

2. Installing the Neck Bushing:

- Remove the existing bushing from your reloading die, if applicable.
- Insert the Neck Bushing into the die and secure it according to the manufacturer's instructions.
- Ensure that the bushing is seated properly to avoid misalignment during use.

3. Using the Neck Bushing:

- Place the cartridge case into the reloading press.
- Operate the press according to the manufacturer's guidelines, applying even pressure.
- Monitor the process closely to ensure consistent sizing and avoid oversizing.

4. PostUsage Care:

- After use, clean the Neck Bushing with a suitable cleaning agent to remove any debris or residue.
- Store the Neck Bushing in its protective case or designated storage area.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste.
- If the Neck Bushing is damaged or no longer usable, consider recycling options available in your area.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Neck Bushing, please refer to the EUbased contact point provided by the manufacturer. Always ensure that you are following the latest safety guidelines and product recalls through the EU's Safety Gate platform.

By following these safety instructions and guidelines, you can ensure a safe and efficient experience with your Neck Bushing. Thank you for your attention to safety!