

Neck Bushing ⌀12,7-7,28/.2866

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,28/.2866
- Manufacturer: TRIEBEL
- Product no.: EU2017661
- Mfr. No.: 3000240V-07.28
- Diameter mm: 12,7 / 7,28
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.28

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing, a precision tool designed for neck sizing in reloading applications. This guide provides essential safety instructions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is neck sizing in reloading processes.
- Always inspect the Neck Bushing before use for any signs of damage or wear.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Do not attempt to modify or repair the Neck Bushing, as this may compromise its safety and performance.
- Use appropriate personal protective equipment (PPE), such as safety glasses and gloves, while operating machinery that utilizes the Neck Bushing.
- Ensure that the work area is welllit and free from clutter to minimize the risk of accidents.

Specific Safety Precautions for Use

- Always follow the manufacturer's instructions and guidelines for the reloading process.
- When using the Neck Bushing, ensure that it is properly secured in the reloading die to prevent slippage during operation.
- Avoid using excessive force when sizing cases, as this may damage the bushing or the cases.
- Do not exceed the specified sizing limits of the Neck Bushing to prevent damage to the tool and ensure optimal performance.
- Be aware of any potential hazards associated with the materials being reloaded, including lead exposure and other toxic substances.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading die is clean and free from debris.
- Carefully insert the Neck Bushing into the reloading die, ensuring it is seated securely.
- Tighten the die according to the manufacturer's specifications to ensure stability during use.

2. Usage:

- Prepare the cases to be sized by cleaning and inspecting them for any defects.
- Adjust your reloading press to the appropriate settings as recommended by the manufacturer.
- Place the case into the reloading press and engage the sizing operation slowly and steadily.
- After sizing, inspect the case for proper dimensions and any signs of damage.
- Clean the Neck Bushing after use to prevent buildup of debris and maintain its precision.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations regarding metal waste.
- Do not dispose of the Neck Bushing in regular household waste.
- If the Neck Bushing is damaged or no longer usable, contact your local recycling facility for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Neck Bushing, please refer to the manufacturer's contact information provided with your product. It is important to reach out to them for assistance and to report any unsafe conditions or incidents.

By following these safety instructions, you can ensure a safe and effective experience with your Neck Bushing. Always prioritize safety and adhere to the guidelines provided in this document. Thank you for your cooperation.