

Neck Bushing ⌀12,7-7,40/.2913

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,40/.2913
- Manufacturer: TRIEBEL
- Product no.: EU2017671
- Mfr. No.: 3000240V-07.40
- Diameter mm: 12,7 / 7,40
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.40

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instructions](#)

Neck Bushing Safety Instructions

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing and is made from highquality hardened steel. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure the Neck Bushing is used only for its intended purpose.
- Always inspect the product for any signs of damage or wear before use.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling and using the Neck Bushing.
- Follow all local regulations and guidelines for handling and using reloading tools.

Specific Safety Precautions for Use

- Avoid using the Neck Bushing if it is damaged or shows signs of wear.
- Do not exceed the recommended specifications for the Neck Bushing.
- Ensure that the Neck Bushing is securely installed in the reloading die before use.
- Do not modify the Neck Bushing in any way, as this may compromise its safety and effectiveness.
- Always follow the manufacturer's instructions for your specific reloading equipment.

Instructions for Installation and Usage

1. Installation:

- Ensure your reloading die is clean and free of debris.
- Carefully insert the Neck Bushing into the reloading die.
- Tighten the die according to the manufacturer's instructions to secure the Neck Bushing in place.

2. Usage:

- Prepare your brass cases according to standard reloading practices.
- Insert the brass case into the reloading press.
- Lower the ram to allow the Neck Bushing to resize the neck of the case.
- Inspect the resized case for proper dimensions before proceeding to the next steps in your reloading process.

3. PostUsage:

- After use, clean the Neck Bushing to remove any residue or debris.
- Store the Neck Bushing in a safe, dry place, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.
- If the Neck Bushing is damaged and cannot be used, consider recycling the material if applicable.
- Do not dispose of the Neck Bushing in regular household waste.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Neck Bushing, please reach out to the designated EU contact point for assistance.

Thank you for your attention to these safety instructions. Your safety is our priority, and following these guidelines will help ensure a safe and effective reloading experience.