

Neck Bushing ⌀12,7-7,48/.2945

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,48/.2945
- Manufacturer: TRIEBEL
- Product no.: EU2017678
- Mfr. No.: 3000240V-07.48
- Diameter mm: 12,7 / 7,48
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.48

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing in reloading applications. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose as specified in this guide.
- Always inspect the Neck Bushing for damage before use. Do not use if it is cracked, chipped, or otherwise damaged.
- Keep the Neck Bushing out of reach of children and pets to prevent accidental injury.
- Store the Neck Bushing in a safe, dry place when not in use to avoid rust and damage.
- Report any unsafe conditions or accidents involving the Neck Bushing to the appropriate authorities.

Specific Safety Precautions for Use

- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling and using the Neck Bushing.
- Ensure that your reloading setup is stable and secure to prevent accidents during operation.
- Follow all manufacturer instructions for the reloading dies being used with the Neck Bushing.
- Do not exceed the recommended specifications for the bushing to avoid potential hazards.
- Be aware of the potential for metal shavings and debris during operation. Clean the area thoroughly after use.

Instructions for Installation and Usage

1. Installation:

- Ensure your reloading press is turned off and unplugged before installation.
- Remove any existing bushing from the reloading die if necessary.
- Carefully insert the Neck Bushing into the die, ensuring it fits snugly and securely.
- Tighten any locking mechanisms to hold the bushing in place.

2. Usage:

- Set up your reloading press according to the manufacturer's instructions.
- Place the cartridge case into the reloading die with the Neck Bushing installed.
- Apply consistent pressure to resize the neck of the cartridge case, ensuring smooth operation.
- Inspect the resized cartridge case for proper dimensions and quality before proceeding with further reloading steps.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.
- Do not dispose of the Neck Bushing in regular household waste if it is damaged or contains hazardous materials.
- Consider recycling options available in your area for metal products.

Contact Information for Further Support

For any inquiries or concerns regarding the Neck Bushing, please refer to the product packaging or the

manufacturer's website for contact details.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.