

Neck Bushing ⌀12,7-7,50/.2953

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,50/.2953
- Manufacturer: TRIEBEL
- Product no.: EU2017680
- Mfr. No.: 3000240V-07.50
- Diameter mm: 12,7 / 7,50
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.50

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety instructions and usage guidelines to ensure your product is used safely and effectively. Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose of neck sizing in reloading processes.
- Always inspect the Neck Bushing for any signs of damage or wear before use. Do not use a damaged bushing.
- Keep the Neck Bushing out of reach of children and vulnerable individuals to prevent accidents.
- Follow all safety precautions when handling reloading equipment and materials.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use the Neck Bushing in a wellventilated area to avoid inhalation of any dust or debris.
- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling the bushing.
- Avoid direct contact with sharp edges of the bushing to prevent cuts or injuries.
- Ensure that your reloading press is compatible with the Neck Bushing before installation.
- Do not exceed the recommended sizing specifications for the bushing to avoid damage to your reloading equipment.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is turned off and unplugged.
- Carefully remove the old bushing from your reloading die, if applicable.
- Insert the Neck Bushing into the reloading die, ensuring it fits snugly.
- Secure the bushing in place according to the manufacturer's instructions for your specific die.

2. Usage:

- Prepare your brass cases according to standard reloading procedures.
- Insert the brass case into the reloading press with the Neck Bushing in place.
- Apply consistent pressure to size the neck of the brass case.
- Inspect the sized neck for uniformity and dimensional accuracy.

Disposal Instructions

- Dispose of the Neck Bushing responsibly at the end of its service life.
- Check local regulations for proper disposal methods of metal products.
- Do not dispose of the Neck Bushing in regular household waste.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's contact information, which can typically be found on the product packaging or the manufacturer's website.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your Neck Bushing safely!