

Neck Bushing ⌀12,7-7,60/.2992

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,60/.2992
- Manufacturer: TRIEBEL
- Product no.: EU2017683
- Mfr. No.: 3000240V-07.60
- Diameter mm: 12,7 / 7,60
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.60

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing, a highquality tool designed for precise neck sizing in reloading applications. This guide provides essential safety instructions to ensure safe and effective use of the product in accordance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always read and understand all instructions before using the Neck Bushing.
- Ensure that the Neck Bushing is compatible with your reloading dies.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the Neck Bushing for any signs of damage or wear before use.
- Use the Neck Bushing only for its intended purpose.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, while using the Neck Bushing.
- Ensure that your workspace is clean and welllit to avoid accidents.
- Do not exceed the recommended sizing limits specified by the manufacturer.
- Avoid using excessive force during operation to prevent damage to the tool or injury.
- Always follow the manufacturer's instructions for installation and usage.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before beginning the installation process.
- Ensure that the reloading press is securely mounted and stable.

2. Installation:

- Remove any existing bushing from the reloading die according to the manufacturer's guidelines.
- Insert the Neck Bushing into the die, ensuring it is seated properly.
- Tighten the die according to the manufacturer's specifications to secure the Neck Bushing in place.

3. Usage:

- Adjust the reloading press to the appropriate settings for the caliber you are working with.
- Feed the cartridge case into the reloading die with the installed Neck Bushing.
- Operate the reloading press smoothly and steadily, avoiding sudden movements.
- After sizing, remove the cartridge case and inspect it for proper sizing.

4. Maintenance:

- Clean the Neck Bushing regularly to remove any debris or residue.
- Store the Neck Bushing in a dry, safe place when not in use to prevent damage.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.

- If the product is damaged or no longer usable, consider recycling metal components where possible.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Neck Bushing, please refer to the manufacturer's contact information provided with the product packaging or visit their official website.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the Neck Bushing. Always prioritize safety and report any unsafe conditions or incidents to the relevant authorities. Thank you for choosing our product, and happy reloading!