

Neck Bushing ⌀12,7-7,80/.3071

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,80/.3071
- Manufacturer: TRIEBEL
- Product no.: EU2017691
- Mfr. No.: 3000240V-07.80
- Diameter mm: 12,7 / 7,80
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.80

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing made by TRIEBEL. This guide provides essential safety instructions to ensure the safe use of the product. Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is precise neck sizing in reloading processes.
- Always follow the instructions provided in this guide to minimize risks and ensure safe operation.
- Keep the product out of reach of children and vulnerable individuals to prevent accidental injury.
- Regularly inspect the Neck Bushing for signs of wear or damage. Do not use if damaged.
- Report any unsafe conditions or accidents related to the Neck Bushing to the appropriate authorities.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves while handling the Neck Bushing.
- Ensure that the work area is clean, dry, and welllit to prevent accidents.
- Do not exceed the recommended sizing limits specified for the Neck Bushing.
- Avoid using excessive force during operation, which could lead to equipment failure or personal injury.
- Be cautious of sharp edges and points on the Neck Bushing. Handle with care to prevent cuts or punctures.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting the installation process.
- Ensure that your reloading die is compatible with the Neck Bushing.

2. Installation:

- Remove the existing bushing from your reloading die if applicable.
- Insert the Neck Bushing into the die, ensuring it is seated properly.
- Tighten any locking mechanisms or screws to secure the bushing in place.

3. Usage:

- Follow the reloading die instructions for operation, ensuring the Neck Bushing is used within its specified diameter range (12.7 mm to 7.80 mm).
- Monitor the reloading process closely for any irregularities or signs of malfunction.

4. PostUse Care:

- Clean the Neck Bushing after each use to remove any debris or residue.
- Store the Neck Bushing in a dry, safe location away from children and pets.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations regarding metal waste.
- Do not dispose of the Neck Bushing in household trash.

- Consider recycling options where available to minimize environmental impact.

Contact Information for Further Support

For any inquiries or support regarding the Neck Bushing, please refer to the contact information provided by the manufacturer or retailer. Always ensure that you have the product details ready when seeking assistance.

By following these safety instructions, you can ensure a safe and effective experience with your Neck Bushing. Thank you for your attention to safety.