

Neck Bushing ⌀12,7-7,82/.3079

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,82/.3079
- Manufacturer: TRIEBEL
- Product no.: EU2017692
- Mfr. No.: 3000240V-07.82
- Diameter mm: 12,7 / 7,82
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.82

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Neck Bushing](#)

Safety Instruction Guide for Neck Bushing

Introduction

Thank you for choosing the Neck Bushing. This product is designed for precise neck sizing and is made from highquality hardened steel. It is important to read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is neck sizing in reloading applications.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Inspect the Neck Bushing before each use to ensure it is free from defects or damage.
- Follow all local laws and regulations regarding the use of reloading equipment.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), such as safety glasses, when using the Neck Bushing.
- Do not exceed the recommended sizing limits of the bushing (Diameter V mm: 12.7 / 7.82).
- Ensure that the bushing is securely fitted in the reloading die before use to prevent it from coming loose during operation.
- Avoid using excessive force when sizing to prevent damage to the bushing or the reloaded cartridge.
- Do not attempt to modify or alter the Neck Bushing in any way.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials for reloading.
- Ensure that your workspace is clean and free from distractions.

2. Installation:

- Carefully remove the Neck Bushing from its packaging.
- Insert the Neck Bushing into the neck sizing die, ensuring it is seated properly.
- Tighten the die according to the manufacturer's instructions to secure the bushing in place.

3. Usage:

- Place the cartridge case into the reloading press.
- Slowly and steadily apply pressure to size the neck of the cartridge case, ensuring that the bushing is functioning correctly.
- Inspect the sized neck for uniformity and any signs of damage.

4. PostUsage:

- Remove the Neck Bushing from the die after use and clean it with a suitable solvent to remove any residue.
- Store the Neck Bushing in a safe and dry location when not in use.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations.
- If the product is damaged or no longer usable, consider recycling the materials where possible.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the contact details provided by the manufacturer or retailer. It is important to ensure that you have access to assistance if needed.

By following these guidelines, you can ensure safe and effective use of the Neck Bushing. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation.