

Neck Bushing ⌀12,7-7,87/.3098

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,87/.3098
- Manufacturer: TRIEBEL
- Product no.: EU2017694
- Mfr. No.: 3000240V-07.87
- Diameter mm: 12,7 / 7,87
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.87

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for purchasing the Neck Bushing. This guide provides essential safety instructions and information to ensure safe and effective use of the product. Please read this guide carefully before using the Neck Bushing.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is neck sizing in reloading processes.
- Always inspect the Neck Bushing for any signs of damage or wear before each use.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Use personal protective equipment (PPE), such as safety glasses and gloves, when handling the Neck Bushing and during the reloading process.
- If you notice any irregularities or malfunctions while using the Neck Bushing, stop using it immediately and consult a professional.

Specific Safety Precautions for Use

- Do not exceed the specified diameter limits (12.7 mm 7.87 mm) when using the Neck Bushing.
- Ensure that the bushing is securely fitted in the reloading die before use to avoid accidents.
- Avoid using excessive force when resizing to prevent damage to the bushing or the die.
- Always follow the manufacturer's instructions for your specific reloading die when using the Neck Bushing.
- Store the Neck Bushing in a dry and safe environment to prevent rust and damage.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading die is clean and free from debris.
- Carefully insert the Neck Bushing into the reloading die, ensuring it fits snugly.
- Tighten the retaining screw (if applicable) to secure the bushing in place.

2. Usage:

- Prepare your cases for resizing, ensuring they are clean and free from any obstructions.
- Insert the case into the reloading die with the installed Neck Bushing.
- Operate your reloading press according to the manufacturer's guidelines, applying steady and controlled pressure.
- After resizing, inspect the case to ensure it meets the desired specifications.

Disposal Instructions

- Dispose of the Neck Bushing responsibly. Do not throw it in regular household waste.
- Check local regulations for proper disposal methods for metal products.
- If the Neck Bushing is damaged or no longer usable, consider recycling it at a designated metal recycling facility.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the Neck Bushing, please consult the manufacturer's

guidelines or reach out to an authorized distributor.

Thank you for your attention to these safety instructions. Your safety is our priority, and adherence to these guidelines will help ensure a safe and effective reloading experience.