

Neck Bushing ⌀12,7-7,93/.3122

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-7,93/.3122
- Manufacturer: TRIEBEL
- Product no.: EU2017699
- Mfr. No.: 3000240V-07.93
- Diameter mm: 12,7 / 7,93
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-07.93

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing, a highquality product designed for precise neck sizing. This guide provides essential safety instructions to ensure the safe and effective use of the Neck Bushing in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose, which is neck sizing in reloading processes.
- Always read and follow the manufacturer's instructions before use.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the Neck Bushing for any signs of wear or damage before each use.
- Report any unsafe conditions or accidents involving this product to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the Neck Bushing.
- Ensure that the workspace is clean and free from obstacles to prevent accidents.
- Do not exceed the specified diameter limits (12.7 mm to 7.93 mm) when using the bushing.
- Use the Neck Bushing only with compatible reloading dies from Triebel Waffenwerkzeuge.
- Avoid using the Neck Bushing if it has been damaged or shows signs of wear.
- Follow all local laws and regulations regarding the handling and use of reloading equipment.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is properly set up and secured.
- Select the appropriate Neck Bushing based on the specifications of your reloading dies.
- Insert the Neck Bushing into the die according to the manufacturer's instructions, ensuring a snug fit.
- Tighten any locking mechanisms to secure the bushing in place.

2. Usage:

- Prepare your brass cases according to the reloading guidelines.
- Insert the case into the reloading press and position it under the Neck Bushing.
- Gradually apply pressure to size the neck of the case, ensuring smooth operation without excessive force.
- After sizing, remove the case and inspect it for proper sizing and any signs of damage.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations for metal products.
- Do not dispose of the Neck Bushing in regular household waste.
- Contact local recycling centers for information on proper disposal methods.

Contact Information for Further Support

For any inquiries regarding the safety and usage of the Neck Bushing, please refer to the manufacturer's website or contact your local distributor.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities.