

Neck Bushing ⌀12,7-8,05/.3169

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-8,05/.3169
- Manufacturer: TRIEBEL
- Product no.: EU2017703
- Mfr. No.: 3000240V-08.05
- Diameter mm: 12,7 / 8,05
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.05

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Neck Bushing](#)

Safety Instruction Guide for Neck Bushing

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety instructions and guidelines for the proper use of the product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully to ensure safe and effective use.

General Safety Guidelines

- Ensure the Neck Bushing is used only for its intended purpose: precise neck sizing in reloading applications.
- Always inspect the product for any signs of damage or wear before use. Do not use if damaged.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding reloading and firearms.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, such as safety glasses and gloves, when handling the Neck Bushing.
- Ensure that your reloading equipment is compatible with the Neck Bushing specifications.
- Use the Neck Bushing in a wellventilated area to avoid inhaling any dust or debris generated during use.
- Avoid using excessive force when resizing necks to prevent injury or damage to the equipment.
- Do not modify the Neck Bushing in any way, as this could lead to malfunction or injury.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials for reloading.
- Ensure your reloading press is clean and properly set up.

2. Installation:

- Insert the Neck Bushing into the reloading die according to the manufacturer's instructions.
- Tighten the die securely to prevent movement during operation.

3. Usage:

- Adjust the reloading press to the appropriate settings for the specific cartridge you are reloading.
- Place the cartridge case into the reloading press and engage the Neck Bushing gently.
- Apply steady and even pressure to resize the neck of the cartridge case.
- Inspect the resized neck for uniformity and proper dimensions.

4. PostUsage:

- Clean the Neck Bushing after each use to maintain its precision and functionality.
- Store the Neck Bushing in a safe, dry place away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local waste disposal regulations.

- Do not throw the Neck Bushing in regular household waste if it is damaged or worn beyond use; check with local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please refer to the contact information provided by the manufacturer. Ensure you have the product details ready when seeking assistance.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy using the Neck Bushing responsibly.