

Neck Bushing ⌀12,7-8,07/.3177

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-8,07/.3177
- Manufacturer: TRIEBEL
- Product no.: EU2017704
- Mfr. No.: 3000240V-08.07
- Diameter mm: 12,7 / 8,07
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.07

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides essential safety information and instructions for the safe use of this product. Please read this document carefully to ensure proper handling and to maximize safety during use.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose: precise neck sizing in reloading applications.
- Always inspect the Neck Bushing for any signs of damage before use. Do not use if damaged.
- Keep the Neck Bushing out of reach of children and vulnerable individuals.
- Use appropriate personal protective equipment (PPE), such as safety glasses, when handling and using the Neck Bushing.
- Be aware of your surroundings and ensure that the work area is clean and free of hazards.
- Follow all manufacturer instructions and guidelines to ensure safe operation.

Specific Safety Precautions for Use

- Do not exceed the specified dimensions (Diameter V mm: 12.7 / 8.07) during operation.
- Avoid using excessive force during the sizing process, as this can lead to equipment failure or injury.
- Ensure that the Neck Bushing is properly secured in your reloading die before use.
- Do not attempt to modify or alter the Neck Bushing in any way.
- If you experience any unusual resistance or difficulty while using the Neck Bushing, stop immediately and inspect for issues.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading die is clean and free of debris.
- Insert the Neck Bushing into the reloading die, ensuring it is seated correctly.
- Secure the die in your reloading press according to the manufacturer's instructions.

2. Usage:

- Prepare your cartridge cases by cleaning and inspecting them.
- Insert a cartridge case into the reloading die with the Neck Bushing.
- Operate the reloading press smoothly and steadily until the sizing process is complete.
- Remove the cartridge case from the die and inspect it for proper sizing.

3. PostUsage:

- Clean the Neck Bushing after each use to remove any residue or debris.
- Store the Neck Bushing in a safe and dry location, away from children.

Disposal Instructions

- Dispose of the Neck Bushing according to local regulations regarding metal products.
- Do not dispose of in household waste. Instead, consider recycling options where applicable.
- If the Neck Bushing is damaged beyond repair, ensure it is disposed of safely to prevent injury.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please refer to the manufacturer's contact information provided with your product. Additionally, you can stay informed about safety recalls and updates by checking the EU's Safety Gate platform.

Thank you for your attention to these safety guidelines. Your safety is our priority.