

Neck Bushing ⌀12,7-8,37/.3295

Neck sizing bushing made from high-quality hardened steel, precision-ground internally and externally in a single setup on CNC machines – ensuring perfect concentricity and maximum dimensional accuracy. Designed for precise neck sizing. Suitable for original reloading dies from Triebel Waffenwerkzeuge.



Attributes

- Name: Neck Bushing ⌀12,7-8,37/.3295
- Manufacturer: TRIEBEL
- Product no.: EU2017717
- Mfr. No.: 3000240V-08.37
- Diameter mm: 12,7 / 8,37
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 60mm
- Shipping length: 50mm
- EAN/UPC: 3000240V-08.37

Table of Contents

- [Startpage](#)
- [English: Neck Bushing Safety Instruction Guide](#)

Neck Bushing Safety Instruction Guide

Introduction

Thank you for choosing the Neck Bushing. This guide provides important safety instructions and guidelines to ensure the safe use of the product. Please read this document carefully before using the Neck Bushing to maximize safety and effectiveness.

General Safety Guidelines

- Ensure that the Neck Bushing is used only for its intended purpose: precise neck sizing in reloading operations.
- Always inspect the Neck Bushing for any signs of damage or wear before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals to prevent accidental injury.
- Follow all local laws and regulations regarding the use and handling of reloading equipment.
- In case of any accidents or safety concerns, report them to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when using the Neck Bushing.
- Ensure that your workspace is clean and organized to avoid accidents while using the product.
- Avoid using excessive force when resizing necks to prevent damage to the bushing or the reloading die.
- Do not use the Neck Bushing with incompatible reloading dies or equipment.
- Be aware of the potential for metal shavings or debris during operation; clean up immediately to prevent slips or cuts.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials, including the reloading die and the Neck Bushing.
- Ensure that your work area is welllit and free from distractions.

2. Installation:

- Carefully remove the Neck Bushing from its packaging.
- Insert the Neck Bushing into the reloading die according to the manufacturer's instructions.
- Ensure that the bushing is securely in place before proceeding.

3. Usage:

- Adjust the reloading die to the desired settings for neck sizing.
- Place the cartridge case into the die and apply steady pressure to resize the neck.
- Monitor the process closely to ensure that the bushing is functioning correctly without excessive force.
- After use, remove the cartridge case and inspect the Neck Bushing for any signs of wear or damage.

4. PostUsage Care:

- Clean the Neck Bushing after each use to remove any debris or residue.
- Store the Neck Bushing in a safe and dry location, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the Neck Bushing in accordance with local regulations for metal recycling or waste disposal.
- Do not dispose of the product in regular household waste.
- Ensure that the product is rendered unusable before disposal to prevent accidental injury.

Contact Information for Further Support

For any questions or concerns regarding the Neck Bushing, please consult the manufacturer's website or customer support resources. It is important to have access to reliable information for safe usage and maintenance of the product.

By following these safety instructions and guidelines, you can ensure a safe and effective experience using the Neck Bushing. Thank you for your attention to safety.